

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE <div style="text-align: center;">J</div>		PAGE OF PAGES <div style="text-align: center;">1 2</div>	
2. AMENDMENT/MODIFICATION NO. 0003		3. EFFECTIVE DATE 29-Apr-2003		4. REQUISITION/PURCHASE REQ. NO. W68MD9-3070-9525		5. PROJECT NO.(If applicable)	
6. ISSUED BY USA ENGINEER DISTRICT, SEATTLE ATTN: GENWS-CT P.O. BOX 3755 SEATTLE WA 98124-3755		CODE DACW67		7. ADMINISTERED BY (If other than item 6) <div style="text-align: center; font-weight: bold;">See Item 6</div>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. DACW67-03-R-0012	
				X		9B. DATED (SEE ITEM 11) 17-Mar-2003	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) DACW67-03-R-0012 AMENDMENT 0003 EXISTING OUTLET TUNNEL, UNTENSIONED ROCK BOLT INSTALLATION AND DRAIN HOLE CLEANING HOWARD HANSON DAM, KING COUNTY, WASHINGTON							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 30-Apr-2003	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

Amendment 0003 is issued to provide the following:

1. FAR Clause 52.222-23 NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY FOR CONSTRUCTION (FEB 1999) is deleted from section 00100 and incorporated in section 00700.
2. Schedule is revised.
3. Section 00110 Proposal Submission and Evaluation is revised.
4. Section 01025 Measurement and Payment is revised.
5. Wage Determination WA020001 modification No. 21 dated 4/18/2003 is incorporated herein.
6. Site Visit attendance list attached.
7. Proposal due date remains unchanged: 07 May 2003, 01:00 PM local time.
8. NOTICE TO OFFERORS: Offers must acknowledge receipt of this amendment by number and date on offer or by telegram. Please mark on outside of the envelope in which the offer is enclosed to show amendment received.

Encl:

Schedule

Section 00110 (revised)

Section 01025 (revised)

Wage Determination (revised)

Site Visit List

SCHEDULE

<u>Item No.</u>	<u>Description of Item</u>	<u>Estimated Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Amount</u>
BASE ITEMS					
0001	All Work for Untensioned Rock bolt Installation and Drain Hole Clearing, Except for Items 0002 Through 0009	1	JOB	L.S.	\$_____
0002	Mobilization and Demobilization	1	JOB	L.S.	\$_____
0003	Drain Hole Clearing				
0003AA	First 640 LF	640	LF	\$_____	\$_____
0003AB	All Over 640 LF	200	LF	\$_____	\$_____
0004	#9, GR 75 Rock Bolts				
0004AA	First 3300 LF	3300	LF	\$_____	\$_____
0004AB	All Over 3300 LF	500	LF	\$_____	\$_____
0005	#11, GR Rock Bolts				
0005AA	First 1943 LF	1943	LF	\$_____	\$_____
0005AB	All Over 1943 LF	500	LF	\$_____	\$_____
0006	Recessed Finished Holes				
0006AA	First 222 Each	222	EA	\$_____	\$_____
0006AB	All Over 222 Each	50	EA	\$_____	\$_____
0007	All Work for Water Quality Management	1	JOB	L.S.	\$_____
0008	Emergency Demobilization and Remobilization	1	JOBEA	L.S. \$_____	\$_____
0009	Standby Equipment and Crew	7	DAY	\$_____	\$_____

NOTE: Contract clause Variation in Estimated Quantity in Section 00700 does not apply to Bid Items 0008 and 0009. If Emergency Demobilization and Remobilization and Standby of Equipment and Crew is used, the Contractor will be paid the unit price for the actual number of moves out of the work demobilization and remobilization and for number of standby days of equipment and crew as described in the Section 01025 in the technical specifications. If Emergency Demobilization and Remobilization and Standby of Equipment and Crew does not occur, Bid Items 0008 and 0009 will not be used and the Government will issue a credit modification for each unused bid item in its entirety.

This page intentionally blank

SECTION 00110
(Revised 29 April 2003)
PROPOSAL SUBMISSION AND EVALUATION

1. INTRODUCTION.

1.1. Your firm is invited to submit a proposal for the project entitled "Existing Outlet Tunnel, Untensioned Rock Bolt Installation and Drain Hole Clearing, Howard Hanson Dam, King County Washington, DACW67-03-R-0012." Prospective offerors are required to prepare and submit proposals that will be evaluated in accordance with this section of the solicitation. **This solicitation is an RFP. Proposals will be evaluated based upon technical merit and cost. Selection will be based upon best value to the Government using these criteria.**

1.2. Project Description.

Using conventional drilling methods, clear fifty-one existing drain holes in the 19-foot outlet tunnel. The drain holes average approximately 12.5 ft in depth (tunnel liner is 2.5-feet, plus 10 feet into bedrock) and are approximately 3 inches in diameter. The work includes fabrication and installation of approximately 225 untensioned rock bolts. Rock bolts vary from 18 to 25 feet in length and are both No. 9 and No. 11, Grade 75 untensioned rock bolts (threaded bar type). The Contractor shall be responsible for determining drilling methods, and determining hole diameter adequate to accommodate the rock bolt and other component parts of each installation (e.g., centralizers, couplers, grout tubes, etc.). Howard Hanson Dam (HHD) is located on the Green River in western Washington and is a 230-foot-high rock fill dam. The existing outlet tunnel is 900 ft long, with a 19 ft semi-horseshoe shaped cross section, which is concrete lined. Drain hole clearing and untensioned rock bolt installation work will be performed during a 60 day work period, approximately 15 July 2003 to 15 September 2003. All work must be completed during this 60 day window so the tunnel can be used for flood control after this date.

2. EVALUATION FACTORS – Proposals will be evaluated on the basis of two criteria. TECHNICAL and PRICE. Award will be based upon evaluation of the following factors listed in descending order of importance.

2.1. Technical Evaluation Criteria: Criteria are listed in descending order of importance.

Relevant experience of the prime firm

Qualifications of key team member

Past Performance

Extent of Small and Small Disadvantaged Business Participation

2.2 Price (Price will be evaluated, but not rated. Financial capacity will be checked, but not rated).

2.3 Relative Importance Definitions: For the purpose of this evaluation, the following terms will be used to establish the relative importance of each factor and criteria:

2.3.1 Significantly More Important: The criterion is at least two times greater in value than another criterion.

2.3.2 More Important: The criterion is greater in value than another criterion, but less than two times greater in value.

2.3.3 Comparatively Equal: The criterion is nearly the same in value as another criterion but not of an equal value.

2.3.4 Equal: The criterion is of the same value as another criterion.

2.4. Evaluation Standards: Evaluation factors and criteria will be rated using the following adjectival descriptions. Evaluators will apply the appropriate adjective to each criterion rated. The evaluators narrative explanation must clearly establish that the Offeror's submittal meets the definitions established below.

2.4.1 Outstanding – Information submitted demonstrates Offeror's potential to significantly exceed performance or capability standards. The Offeror has clearly demonstrated an understanding of all aspects of the requirements to the extent that timely and highest quality performance is anticipated. Has exceptional strengths that will significantly benefit the Government. ~~The Offeror's qualifications meet the fullest expectations of the Government.~~ The Offeror has convincingly demonstrated that the RFP requirements have been analyzed, evaluated, and synthesized into approaches, plans and techniques that, when implemented, should result in outstanding, effective, efficient, and economical performance under the Contract. ~~An assigned rating within "outstanding" indicates that, in terms of the specific factor (or criteria), the submittal contains essentially no significant weaknesses, deficiencies, or disadvantages.~~ Very significantly exceeds most or all solicitation requirements. **Very high probability of success.**

2.4.2 Above Average – Information submitted demonstrates Offeror's potential to exceed performance or capability standards. Has one or more strengths that will benefit the Government. The areas in which the Offeror exceeds the requirements are anticipated to

result in a high level of efficiency or productivity or quality. ~~The Offeror's qualifications are adequately responsive with minor deficiencies but no major deficiencies noted. An assigned rating within "Above Average" is used when there are no indications of exceptional features or innovations that could prove to be beneficial, or contrarily, weaknesses that could diminish the quality of the effort or increase the risks of failure. Disadvantages are minimal.~~ The submittal contains excellent features that will likely produce results very beneficial to the Government. Fully meets all RFP requirements and ~~significantly~~ exceeds many of the RFP requirements. Response exceeds a "Satisfactory" rating.
High probability of success.

2.4.3 Satisfactory (Neutral) – Information submitted demonstrates Offeror's potential to meet performance or capability standards. Acceptable solution. ~~Meets minimum standard requirements. Few or no advantages or strengths. The Offeror's qualifications contain weaknesses in several areas that are not offset by strengths in other areas. A rating of "Satisfactory" indicates that, in terms of the specific factor (or criteria), the Offeror may satisfactorily complete the proposed tasks, but there is at least moderate risk that Offeror will not be successful.~~ Equates to Neutral. Good probability of success as there is sufficient confidence that a fully compliant level of performance will be achieved. Meets all RFP requirements. Complete and comprehensive proposal; exemplifies an understanding of the scope and depth of the task requirements and the Offeror's understanding of the Government's requirements. Response exceeds a "Marginal" rating. ~~No significant advantages or disadvantages.~~ **Good Probability of Success.**

2.4.4 Marginal – ~~Information submitted demonstrates Offeror's potential to marginally meet performance or capability standards necessary for minimal but acceptable contract performance.~~ The submittal is not adequately responsive or does not address the specific factor(s) (or criteria). The Offeror's interpretation of the Government's requirements is so superficial, incomplete, vague, incompatible, incomprehensible, or incorrect as to leave doubt as to the offeror's capability for satisfactory performance. ~~be Unsatisfactory.~~ The assignment of a rating within the bounds of "Marginal" indicates that the evaluator feels that mandatory corrective action would be required to prevent significant deficiencies from affecting the overall project. ~~The Offeror's qualifications demonstrate an acceptable understanding of the requirements of the RFP and the approach will likely result in an adequate quality of performance which represents a moderate level of risk to the Government.~~ Low probability of success although

the submittal has a reasonable chance of becoming at least acceptable. Response exceeds an "Unsatisfactory" rating.

~~Significant disadvantages. Moderate risk of unsuccessful performance.~~

- 2.4.5 Unsatisfactory** – Fails to meet performance or capability standards. Unacceptable. Requirements can only be met with major changes to the submittal. The submittal does not meet the minimum requirements of the RFP. There is no reasonable expectation that acceptable performance would be achieved. Offeror's qualifications have many deficiencies and/or gross omissions; failure to provide a reasonable, logical approach to fulfilling much of the Government's requirements; failure to meet many of the minimum requirements. ~~The Offeror's qualifications submittals are so unacceptable that it would have to be completely revised in order to attempt to make it other than unacceptable.~~ **Very significant disadvantages. High risk of unsuccessful performance.**

2.5. Basis of the source selection evaluation - This Section establishes the method to be implemented with regard to the evaluation of proposals. **Proposals will be evaluated based upon technical merit and cost. Selection will be based upon best value to the Government using these criteria.**

3. GENERAL SUBMITTAL REQUIREMENTS.

3.1. Proposals shall be submitted in two parts: (a) **technical proposal**, and (b) **price proposal**. Each shall be submitted in a separate envelope or package with the type of proposal (i.e., technical or price) clearly printed on the outside of the envelope or package. The maximum number of pages in the proposal should not exceed 150 with font size no smaller than 10 point. Proposals must set forth full, accurate, and complete information as required by this RFP. Absence of information will be deemed as if no support for that criterion was provided. Offerors submitting proposals should limit submission to data essential for evaluation of proposals so that a minimum of time and moneys are expended in preparing information required by the Request for Proposals (RFP). Proposals are to be on 8 ½ x 11-inch paper, to the maximum extent practicable, and submitted in standard letter (8½ x 11-inch) hardback loose-leaf binders. Contents of binders shall be tabbed and labeled to afford easy identification from the proposal Table of Contents. No material shall be incorporated by reference or reiteration of the RFP. Any such material will not be considered for evaluation. It shall be presented in a manner, which allows it to "STAND ALONE" without need for evaluators to reference other documents. Photographs and organizational charts **will not** be considered a page. Unnecessarily elaborate brochures or other presentation materials beyond those sufficient to present complete and effective responses are not desired and may be construed as an indication of the proposer's lack of cost-consciousness. Penalty for making false statements in proposals is prescribed in 18 U.S.C. 1001.

4. MINIMUM SUBMITTAL REQUIREMENTS

4.1 Relevant experience of the prime firm. Provide documentation that demonstrates the types of relevant prior experience of the prime firm. Offerors should explain how the information provided is relevant to the proposed acquisition. Relevant is defined as a project that: a) has been started and/or completed within the last (10) years; b) has a logical connection with the requirements in this RFP; c) was similar in nature; and d) was similar in magnitude and complexity to this project. Offerors shall provide the following:

4.1.1 Experience

Offerors shall show they have a minimum 10 years experience installing Rock Bolts.

4.1.1.1 Examples Of Relevant Experience: Installing rock bolts at or within to critical b) projects requiring intricate phasing and “work around” operating facilities.
Provide a list of no less than a total of three (3) relevant projects completed within the last (10) years. If more than three projects are submitted, the three most relevant projects will be evaluated starting with the most recent project and working back in time.

4.1.1.2 As a Minimum, for each project listed, provide: a) Project title and location; b) dollar value of construction; c) construction period (month/year start to month/year end); d) brief description of how the project is relevant, and meets the requirements of this RFP project; d) current primary point of contact for the customer (name, relationship to project, agency/firm affiliation, city and state, phone number).

4.1.2 Schedule

Offeror shall provide Work Schedule detailing how all field work shall be accomplished in the 15 July – 15 September window.

Work Schedule Plan. Schedule shall show how all work including mobilization/demobilization shall be accomplished within the performance period.

4.1.3 Water Quality

Offeror shall provide a Water Quality Management Plan.

Water Quality Management Plan. Offeror shall provide a detailed Water Quality Management Plan to show how offeror shall control turbid water and sediments within the tunnel and meet water quality specifications. (for information, this is a section of the Quality Control Plan).

~~Offerors shall show they have a minimum 10 years experience installing Rock Bolts.~~

~~Offeror shall provide Work Schedule detailing how all field work shall be accomplished in the 15 July—15 September window.~~

~~Offeror shall provide a Water Quality Management Plan.~~

~~**4.1.1. Examples Of Relevant Experience: Installing rock bolts at or within to critical b)** projects requiring intricate phasing and “work around” operating facilities. Provide a list of no less than a total of three (3) relevant projects completed within the last (5) years. If more than three projects are submitted, the three most relevant projects will be evaluated starting with the most recent project and working back in time.~~

~~**4.1.2. As a Minimum,** for each project listed, provide: a) Project title and location; b) dollar value of construction; c) construction period (month/year start to month/year end); d) brief description of how the project is relevant, and meets the requirements of this RFP project; d) current primary point of contact for the customer (name, relationship to project, agency/firm affiliation, city and state, phone number).~~

~~**4.1.3. Work Schedule Plan** Schedule shall show how all work including mobilization/demobilization shall be accomplished within the 60 day performance.~~

~~**4.1.4. Water Quality Management Plan.** Offeror shall provide a detailed Water Quality Management Plan to show how offeror shall control turbid water and sediments within the tunnel and meet water quality specifications.~~

4.2. Qualifications of key team member. The Offeror should submit the name and résumé for key construction personnel that will be assigned to this project. In addition, the Offeror will provide a summary of the duties and responsibilities of this individual, which clearly indicates separate duties and responsibilities for the individual. The proposal should clearly present the credentials of the person. Resume should include examples of project experience and educational qualifications. It is expected that the key individual in your proposal will be the individual who performs work under the contract. Resume should be no more than two (2) pages per individual and submitted in a format similar to the one below: As a minimum, this sub-factor should include data on the following personnel:

4.2.1. Project Superintendent: The Project Superintendent should be a graduate engineer or experienced construction person and have at least 5 projects in related work on relevant similar types of projects installing rock bolts. Projects shall be similar in complexity and magnitude.

4.2.2. Resume Format For Key Team Member. Resume should be no more than two (2) pages per individual and submitted in a format similar to the one below:

<i>Name/Title</i>
<i>Proposed Duties/Functions for this project</i>
<i>Firm Affiliation/Years Affiliated</i>
<i>Years of Experience performing duties/functions as proposed for this project.</i>
<i>Education - Degree, Certification, Year, and Specialization</i>
<i>Active Registrations/Professional/Technical Licenses/Certifications</i>
<i>Specific Qualifications for this project</i>
<i>List of Projects Including :</i>
<i>Project Title & Location</i>
<i>Duties/Functions</i>

4.3. Past Performance. The reproducible Past Performance Customer Survey form at the end of this section will be used to provide information from your customers for the prime contractor regarding satisfaction, quality of work, and timely performance of the project(s). The Government will evaluate the relative merits of each offeror's past performance. The Government reserves the right to consider all aspects of an offeror's performance history. Government databases will be checked and previous customers may be contacted as references. Offerors shall submit a list of all customers to whom Past Performance Customer Surveys were provided, including current point of contact and phone number. To be considered, your customers (not the offeror) must complete the surveys and mail, hand-deliver, or fax directly to the Contracting Office, for receipt no later than the time and date the proposals are due.

4.3.1. Offeror submitted Surveys. Surveys submitted directly by offerors may not be considered. Please ensure envelopes containing surveys submitted to this office do not contain the offeror's return address.

4.3.2 As a minimum, three (3) customer satisfaction surveys shall be received for the prime firm (i.e., the firm signing the Standard Form 1442, Solicitation, Offer and Award.) unless the firm qualifies under FAR 15.305(a)(2)(iv). ~~To receive an acceptable rating for this factor no more than two questions on any one survey can be rated lower than "Acceptable."~~

4.4 Extent of Small and Small Disadvantaged Business Participation

Submittal Requirements:

No submittal required for this criterion. The Government will utilize performance evaluations contained in the Construction Contract Administration Support System (CCASS) to evaluate this criterion.

Evaluation:

Firms will be evaluated for their past performance in subcontracting with Small and Small Disadvantaged Businesses. Firms will be evaluated based on the ratings received for item 16i, "Implementation of Subcontracting Plan" for performance evaluations retrieved from the CCASS system. Firms without any evaluations in the CCASS system, or for which this item is not evaluated (N/A) will receive a Satisfactory (neutral) rating. Firms that are rated Satisfactory or higher for this item in CCASS report(s) will receive a rating of Satisfactory. Firms that receive a rating below Satisfactory for this item in one or more CCASS reports will receive a rating of Marginal for this criterion

4.5 Ranking of Importance of Technical Evaluation Factors:

Relevant experience of the prime firm is significantly more important than qualifications of key team member.

Qualifications of key team member ~~is more important than and~~ Past Performance are equal in importance; more important than and Extent of Small and Small Disadvantaged Business Participation.

Past Performance is comparatively equal to Extent of small and small disadvantaged business participation.

5. PROPOSAL CONTENTS/FORMAT.

5.1. Technical Proposal Format. As a minimum, each copy of the technical proposal should contain the information and follow the general format specified below. Pages should be numbered from beginning to end, without repeating for new sections.

5.1.1. Technical Proposal Format- 5 sets required, original plus 4 copies

- **Technical Proposal Cover Letter, to include:**
 - *Solicitation Number*
 - *Name, address, and telephone and facsimile numbers of the Offeror (and electronic address, if available)*
 - *Name, titles, and telephone and facsimile numbers (and electronic addresses if available) of persons authorized to negotiate on the Offeror's behalf with the Government in connection with this solicitation*
- **Table of Contents.** *List all sections for the technical proposal. Any future amendments, additions and/or revisions to proposal shall include updated Table of Contents for each set.*
- **Relevant Experience data**
- **Qualifications of key team members.**

- *Past Performance data.*
- *Extend of Small Business and Small Disadvantaged Business Participation*

5.2. Price Proposal Format. The price proposal shall be submitted in an ORIGINAL plus 1 copy and must be signed by an official authorized to bind your firm. Note that Standard Form 1442, Block 13D, provides the number of calendar days after the date of the offer for which the proposal is firm. The price proposal, to be submitted at the same time as the technical proposal, should include:

Price Proposal (original and one copy)

- *SF 1442, Solicitation, Offer and Award and Corporate certificate*
- *Acknowledge all amendments by number and date in Block 19 on SF 1442 BACK*
- *Pricing Schedule*
- *Section 00600, Representation, Certifications and Other Statements of Offerors and Pre-award Information*
- *Banking and Bonding information*
- *Bid Bond*
- *~~Subcontracting plan (large-business only)~~*

5.3. Additional Instructions. Offerors must submit pricing for all items in the Schedule. In addition, large businesses are required to submit a subcontracting plan with initial price proposals. Award will not be made under this solicitation without an approved subcontracting plan signed by the Contracting Officer. (See the "Notice to Large Business Firms" located in the front of this solicitation.) Provide the name, point of contact, phone number, and address for the bank and bonding company of the firm signing the SF 1442.

6. PROPOSAL EVALUATIONS AND AWARD. A firm fixed-price contract will be awarded to one firm submitting the proposal that:

6.1. To be considered for award, proposals shall conform to the terms and conditions contained in the Request For Proposal.

6.2. Provides the Best Value to the Government based upon technical merit and cost, and

6.3. Is determined to be in the best interest of the Government.

7. SELECTION AND AWARD – The Government intends to make award based on initial offers. If discussions are conducted, then after receipt of Final Offers, the TET will evaluate supplemental information provided by offerors, adjust technical ratings previously assigned, and provide a recommendation to the Contracting Officer. Subsequently, and after evaluation of any changes to proposed prices, the Contracting Officer will perform a best-value analysis. Selection

will be made on basis of the responsible offer which conforms to the RFP and represents the most advantageous offer to the Government. ~~subject to availability of funds.~~

8. BEST-VALUE ANALYSIS

8.1 In determining the best value to the Government, the tradeoff process of evaluation will be utilized. The tradeoff process permits tradeoffs among cost or price and non-cost factors, and allows the Government to consider award to other than the lowest priced offerer or other than the highest technically rated offerer.

8.2 For this solicitation, technical factors exceed the price. The best-value offer will be selected using a tradeoff analysis of technical ratings and price. In making this determination, the Government is concerned with achieving a highly qualified firm with a reasonable price.

9. COMPETITIVE RANGE. (FAR 15.306(c)) **Competitive Range.** After initial evaluation of proposals, should the Contracting Officer determine that discussions need to be conducted, the Contracting Officer will establish a competitive range comprised only of the ~~technically acceptable~~ proposals that have a reasonable chance of being selected. Discussions will be held only with firms in the competitive range.

10. DISCUSSIONS. Written discussions may be conducted by the Government with all offerors determined to be in the competitive range. ~~In addition, if all proposals are determined to be non-acceptable, at the Contracting Officer's discretion, all firms will be requested to participate in discussions.~~ As a result of discussions, offerors may make revisions to their initial offers. Discussions will culminate in a request for Final Proposal Revision, the date and time of which will be common to all offerors.

11. DEBRIEFINGS.

11.1 Pre-award. Offerors excluded from the competition before award will receive a notice and may request a debriefing before award by submitting a written request for a debriefing to the Contracting Officer within three (3) days after receipt of the notice of exclusion from the competition.

11.2 Post-award. Unsuccessful Offerors shall request post-award debriefing within three (3) days after the date on which the offeror received notification of contract award. Point-by-point comparisons with other offerors' proposals will not be made, and debriefings will not reveal any information that is not releasable under the Freedom of Information Act.

12. PROPOSAL EXPENSES AND PRECONTRACT COSTS **PROPOSAL EXPENSES AND PRECONTRACT COSTS:** This RFP **does not** commit the Government to pay costs incurred in preparation and submission of the initial and any subsequent proposals or any other costs incurred prior to execution of a formal contract.

**SEE CUSTOMER SATISFACTION SURVEY
FOLLOWING THIS PAGE**

|

|

CUSTOMER SATISFACTION SURVEY

DACW67-03-R-0012, Existing Outlet Tunnel, Untensioned Rock Bolt Installation and Drain Hole Clearing, Howard Hanson Dam, King County, Washington

SECTION 1 -- TO BE COMPLETED BY THE OFFEROR AND PROVIDED TO THE CUSTOMER REFERENCE

Name of Firm Being Evaluated: _____

Project Title & Location: _____

Project Dollar Value (for design-build, list both design and construction amounts):

Year Completed: _____ Project Manager: _____

SECTION 2 -- TO BE COMPLETED BY THE CUSTOMER REFERENCE AND MAILED, HAND-DELIVERED, E MAILED OR FAXED DIRECTLY TO: Forms submitted by other than the customer (i.e., by the offeror), will not be considered.

U.S. Army Corps of Engineers, Seattle District
Attn: CENWS-CT-CB-CU (J Alex Smith)
P.O. Box 3755
Seattle, WA 98124-3755

FAX: (206) 764-6817
Street Address:
4735 E. Marginal Way S.
Seattle WA 98134-2385
E- Mail j.alex.smith@usace.army.mil

OVERVIEW: The firm shown above has submitted a proposal on a Seattle District Corps of Engineers project and provided your name as a customer reference. Part of our evaluation process requires information on the firm's past performance. Your input is important to us and responses are required by 07 May 2003 for inclusion in our evaluation. Your assistance is greatly appreciated. ~~Your assistance is greatly appreciated.~~

In the blocks below, please indicate your overall level of satisfaction with the work performed by the firm shown in Section 1. Mark *Not Applicable* (N/A) for any areas that do not apply. Please include comments on page 2 of this form.

	On this project, the firm:	Satisfaction
		Low High N/A
1.	Completed Your Major Project Milestones on Time	1 2 3 4 5 N/A
2.	Delivered Quality Construction	1 2 3 4 5 N/A
3.	Demonstrated a Willingness to Cooperate	1 2 3 4 5 N/A
4.	Demonstrated Problem Solving Skills	1 2 3 4 5 N/A
5.	Managed the Project Effectively (including adequate Cost Controls)	1 2 3 4 5 N/A
6.	Managed Workforce Effectively (including Subcontractors)	1 2 3 4 5 N/A
7.	Provided Adequate Warranty Support	1 2 3 4 5 N/A
8.	Your OVERALL Level of Customer Satisfaction	1 2 3 4 5 N/A
9.	Comments: Your Name _____ Phone Number _____ Firm Name _____ Relationship to this Project: _____	

SECTION 01025

MEASUREMENT AND PAYMENT

PART 1 GENERAL

1.1 GENERAL

The contract price for each item shall constitute full compensation for furnishing all plant, labor, materials, appurtenances, and incidentals and performing all operations necessary to construct and complete the items in accordance with these specifications and the applicable drawings, including surveying performed by the Contractor. Payment for each item shall be considered as full compensation, notwithstanding that minor features may not be mentioned herein. Work paid for under one item will not be paid for under any other item. No separate payment will be made for the work, services, or operations required by the Contractor, as specified in DIVISION 1, GENERAL REQUIREMENTS, to complete the project in accordance with these specifications; all costs thereof shall be considered as incidental to the work.

1.2 MEASUREMENT:

1.2.1 Linear Foot Measurement

Drain hole cleaning will be measured for payment on the basis of the linear feet of drain holes actually cleaned, as shown or as directed.

The total quantity of rock bolts for which payment will be made will be determined by manifests showing the quantities of rock bolts delivered to the project with adjustments for unused material at the end of the job.

1.2.4 Day Measurements

The total quantity of Standby Equipment and Crew days for which payment will be made will be determined by the daily construction logs showing the hours worked.

1.3 PAYMENT

1.3.1 ITEM 0001 (BASE ITEM)

Payment will be made at the contract lump sum price for Item No. 0001, All Work for Untensioned Rock bolt Installation and Drain Hole Clearing, Except for Items 0002 Through 0009, payment of which shall constitute full compensation for Item No. 0001, complete.

1.3.2 ITEM 0002 (BASE ITEM)

Payment will be made at the contract lump sum price for Item No. 0002, Mobilization and Demobilization, payment of which shall constitute full compensation for Item No. 0002, complete, including transportation of all labor, plant, material, equipment, and supplies to and from the work site, per diem, and mileage and setup within the existing outlet tunnel. This shall include equipment rental to facilitate moving heavy equipment into and out of the tunnel and rental/construction of tunnel access

scaffolding as specified. The preparation, submittal, and revisions for the required Activity Hazard Analysis will be incidental to this item of work.

1.3.3 ITEM 0003 (BASE ITEM)

Payment will be made at the contract unit price for Item No. 0003, Drain Hole Clearing, payment of which shall constitute full compensation for Item No. 0003, complete, including all equipment, materials and labor for clearing. No payment will be allowed for drain holes damaged due to construction practices not in accordance with this specification, or for the convenience of the Contractor. Interim mobilization on each drain hole, sanitation of equipment, and the furnishing, installing, removing of ground protection materials and disposal of ground protection materials will be incidental to this item of work.

1.3.4 ITEM 0004 (BASE ITEM)

Payment will be made at the contract unit price for Item No. 0004, #9, GR 75 Rock Bolts, payment of which shall constitute full compensation for Item No. 0004, complete, including all plant, labor, equipment, materials and labor for the drilling and installation of rock bolts. No payment will be allowed for drill holes abandoned due to construction practices not in accordance with this specification, or for the convenience of the Contractor.

1.3.5 ITEM 0005 (BASE ITEM)

Payment will be made at the contract unit price for Item No. 0005, #11, GR 75 Rock Bolts, payment of which shall constitute full compensation for Item No. 0005, complete, including all plant, labor, equipment, materials and labor for the drilling and installation of rock bolts. No payment will be allowed for drill holes abandoned due to construction practices not in accordance with this specification, or for the convenience of the Contractor.

1.3.6 ITEM 0006 (BASE ITEM)

Payment will be made at the contract unit price for Item No. 0006, Recessed Finished Holes, payment of which shall constitute full compensation for Item No. 0006, complete, including all plant, labor, materials, catalog data, equipment, supplies, and performing all work necessary to recess and finish each rock bolt installation as specified.

1.3.7 ITEM 0007 (BASE ITEM)

Payment will be made at the contract lump sum price for Item No. 0007, All Work for Water Quality Management, payment of which shall constitute full compensation for Item No. 0007, complete, including developing all labor, materials, data, equipment, supplies, and performing all work necessary to create the work plan, water quality plan and accident prevention plan as specified.

1.3.8 ITEM 0008 (BASE ITEM)

Payment will be made at the contract ~~lump-unit~~ sum price for Item No. 0008, Emergency Demobilization and Remobilization, payment of which shall constitute full compensation for Item No. 0008, complete.

1.3.9 ITEM 0009 (BASE ITEM)

Payment will be made at the contract unit price for Item No. 0009, Standby Equipment and Crew, payment of which shall constitute full compensation for Item No. 0009, complete.

1.3 PROGRESS PAYMENT INVOICE

Requests for payment shall be submitted in accordance with Federal Acquisition Regulations (FAR) Subpart 32.9, entitled "PROMPT PAYMENT," and Paragraphs 52.232-5 and 52.232-27, entitled "Payments Under Fixed-Price Construction Contracts," and "Prompt Payment for Construction Contracts," respectively. In addition each request shall be submitted in the number of copies and to the designated billing office as shown in the Contract.

1.3.1 When submitting payment requests, the Contractor shall complete Blocks 1 through 12 of the "PROGRESS PAYMENT INVOICE" Form as directed by the Contracting Officer. (A sample form is attached at the end of this Technical Specification Section.) The completed form shall then become the cover document to which all other support data shall be attached.

1.3.2 One additional copy of the entire request for payment, to include the "PROGRESS PAYMENT INVOICE" cover document, shall be forwarded to a separate address as designated by the Contracting Officer.

1.3.3 The Contractor shall submit with each pay request, a list of subcontractors that have worked during that pay period. The listing shall be broken down into weeks, identifying each subcontractor that has worked during a particular week, and indicate the total number of employees that have worked on site for each subcontractor for each week. The prime Contractor shall also indicate the total number of employees for its on site staff for each week.

PARTS 2 and 3 NOT USED

PROGRESS PAYMENT INVOICE

See Federal Acquisition Regulations (FAR) 32.900, 52.232-5, & 52.232-27

1. PROJECT AND LOCATION	2. DATE
3. CONTRACTOR NAME AND ADDRESS (Must be the same as in the Contract)	4. CONTRACT NO. <hr style="border: none; border-top: 1px solid black; margin: 5px 0;"/>
6. DESCRIPTION OF WORK	5. INVOICE NO. <hr style="border: none; border-top: 1px solid black; margin: 5px 0;"/>
	7. PERIOD OF PERFORMANCE From: _____ To: _____
8. DISCOUNT TERMS	
9. OFFICIAL TO WHOM PAYMENT IS TO BE FORWARDED Name: _____ Title: _____ Phone: () - _____	10. OFFICIAL TO BE NOTIFIED OF DEFECTIVE INVOICE Name: _____ Title: _____ Phone () - _____
11. CERTIFICATION: I hereby certify, to the best of my knowledge and belief, that (1) The amounts requested are only for the performance in accordance with the specifications, terms, and conditions of this contract; (2) Payments to subcontractors and suppliers have been made from previous payments received under the contract, and timely payments will be made from the proceeds of the payment covered by this certification, in accordance with subcontract agreements and the requirements of Chapter 39 of Title 31, United States Code; and (3) This request for progress payment does not include any amounts which the prime contractor intends to withhold or retain from a subcontractor or supplier in accordance with the terms and conditions of the subcontract.	
<div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="border-top: 1px solid black; width: 30%; text-align: center;">(Signature)</div> <div style="border-top: 1px solid black; width: 30%; text-align: center;">(Title)</div> <div style="border-top: 1px solid black; width: 30%; text-align: center;">(Date)</div> </div>	
12. OTHER INFORMATION OR DOCUMENTATION required by Contract. Provide two (2) copies of each (check and attach if applicable): <div style="margin-left: 20px;"> <input type="checkbox"/> Updated Progress Chart/Schedule <input type="checkbox"/> Progress Narrative <input type="checkbox"/> Certified Payrolls (submitted weekly) <input type="checkbox"/> Safety Exposure Report <input type="checkbox"/> Updated Submittal \register <input type="checkbox"/> Progress Photos <input type="checkbox"/> Subcontractor/Employee Listings </div>	<div style="text-align: center; border-bottom: 1px solid black; margin-bottom: 10px;">(FOR GOVERNMENT USE ONLY)</div> Retainage: ____% Amt.: \$ _____ Withholdings: \$ _____ Reason: _____ <hr style="border: none; border-top: 1px solid black; margin: 5px 0;"/> Following items are current: <div style="margin-left: 20px;"> As-Builts ____ Yes ____ No O & M Manuals ____ Yes ____ No 1354 Data ____ Yes ____ No Submittal Register ____ Yes ____ No </div>

END OF SECTION

GENERAL DECISION WA020001 04/18/2003 WA1

Date: April 18, 2003

General Decision Number WA020001

Superseded General Decision No. WA010001

State: Washington

Construction Type:

DREDGING

HEAVY

HIGHWAY

County(ies):

STATEWIDE

HEAVY AND HIGHWAY AND DREDGING CONSTRUCTION PROJECTS

(Excludes D.O.E. Hanford Site in Benton and Franklin Counties)

Modification Number	Publication Date
0	03/01/2002
1	03/08/2002
2	03/15/2002
3	03/29/2002
4	04/19/2002
5	05/03/2002
6	05/10/2002
7	06/07/2002
8	06/21/2002
9	07/05/2002
10	07/19/2002
11	07/26/2002
12	08/09/2002
13	09/06/2002
14	09/27/2002
15	01/03/2003
16	01/17/2003
17	01/24/2003
18	01/31/2003
19	02/07/2003
20	03/07/2003
21	04/18/2003

COUNTY(ies):

STATEWIDE

CARP0001W 06/01/2002

Rates

Fringes

COLUMBIA RIVER AREA - ADAMS, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GRANT, OKANOGAN (EAST OF THE 120TH MERIDIAN) AND WALLA WALLA COUNTIES

CARPENTERS:

GROUP 1:	23.58	6.25
GROUP 2:	24.69	6.25
GROUP 3:	23.85	6.25
GROUP 4:	23.58	6.25
GROUP 5:	58.43	6.25
GROUP 6:	27.72	6.25

SPOKANE AREA: ASOTIN, GARFIELD, LINCOLN, PEND OREILLE, SPOKANE, STEVENS AND WHITMAN COUNTIES

CARPENTERS:

GROUP 1:	22.91	6.25
GROUP 2:	24.01	6.25
GROUP 3:	23.17	6.25
GROUP 4:	22.91	6.25
GROUP 5:	56.77	6.25
GROUP 6:	27.00	6.25

CARPENTERS CLASSIFICATIONS

GROUP 1: Carpenter; Burner-Welder; Rigger and Signaler; Insulators (all types), Acoustical, Drywall and Metal Studs, Metal Panels and Partitions; Floor Layer, Sander, Finisher and Astro Turf; Layout Carpenters; Form Builder; Rough Framers; Outside or Inside Finisher, including doors, windows, and jams; Sawfiler; Shingler (wood, composition) Solar, Fiberglass, Aluminum or Metal; Scaffold Erecting and Dismantling; Stationary Saw-Off Bearer; Wire, Wood and Metal Lather Applicator

GROUP 2: Millwright, machine erector

GROUP 3: Piledriver - includes driving, pulling, cutting, placing collars, setting, welding, or creosote treated material, on all piling

GROUP 4: Bridge, dock and wharf carpenters

GROUP 5: Divers

GROUP 6: Divers Tender

DEPTH PAYY FOR DIVERS:

Each foot over 50-100 feet	\$1.00
Each foot over 100-175 feet	2.25
Each foot over 175-250 feet	5.50

HAZMAT PROJECTS

Anyone working on a HAZMAT job (task), where HAZMAT certification is required, shall be compensated at a premium, in addition to the classification working in as follows:

LEVEL D + \$.25 per hour - This is the lowest level of protection. No respirator is used and skin protection is minimal.

LEVEL C + \$.50 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B + \$.75 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit".

LEVEL A +\$1.00 per hour - This level utilizes a fully

encapsulated suit with a self-contained breathing apparatus or a supplied air line.

CARP00030 06/01/2002

Rates Fringes
SOUTHWEST WASHINGTON: CLARK, COWLITZ, KLICKITAT,
LEWIS(Piledriver only), PACIFIC (South of a straight line made by
extending the north boundary line of Wahkiakum County west to
Willapa Bay to the Pacific Ocean), SKAMANIA AND WAHIAKUM
COUNTIES and INCLUDES THE ENTIRE PENINSULA WEST OF WILLAPA BAY

SEE ZONE DESCRIPTION FOR CITIES BASE POINTS

ZONE 1:

CARPENTERS; ACOUSTICAL	27.37	8.80
DRYWALL	27.37	8.80
FLOOR LAYERS & FLOOR FINISHERS		
(the laying of all hardwood floors nailed and mastic set, parquet and wood-type tiles, and block floors, the sanding and finishing of floors, the preparation of old and new floors when the materials mentioned above are to be installed); INSULATORS (fiberglass and similar irritating materials		
MILLWRIGHTS	27.87	8.80
PILEDRIERS	27.87	8.80
DIVERS	65.05	8.80
DIVERS TENDERS	29.91	8.80

DEPTH PAY

50 TO 100 FEET	\$1.00 PER FOOT OVER 50 FEET
100 TO 150 FEET	1.50 PER FOOT OVER 100 FEET
150 TO 200 FEET	2.00 PER FOOT OVER 150 FEET

Zone Differential (Add up Zone 1 rates):

Zone 2 - \$0.85

Zone 3 - 1.25

Zone 4 - 1.70

Zone 5 - 2.00

Zone 6 - 3.00

BASEPOINTS: ASTORIA, LONGVIEW, PORTLAND, THE DALLES,
AND VANCOUVER, (NOTE: All dispatches for Washington State
Counties: Cowlitz, Wahkiakum and Pacific shall be from Longview
Local #1707 and mileage shall be computed from that point.)

ZONE 1: Projects located within 30 miles of the respective
city hall of the above mentioned cities

ZONE 2: Projects located more than 30 miles and less than 40
miles of the respective city of the above mentioned
cities

ZONE 3: Projects located more than 40 miles and less than 50
miles of the respective city of the above mentioned

cities
 ZONE 4: Projects located more than 50 miles and less than 60 miles of the respective city of the above mentioned cities.
 ZONE 5: Projects located more than 60 miles and less than 70 miles of the respective city of the above mentioned cities
 ZONE 6: Projects located more than 70 miles of the respected city of the above mentioned cities

 CARP0770D 06/01/2002

	Rates	Fringes
WESTERN WASHINGTON: CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS (excludes piledrivers only), MASON, PACIFIC (North of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES		

CARPENTERS AND DRYWALL APPLICATORS	27.95	8.05
CARPENTERS ON CREOSOTE MATERIAL	28.05	8.05
INSULATION APPLICATORS	25.50	8.05
SAWFILERS, STATIONARY POWER SAW OPERATORS, FLOOR FINISHER, FLOOR LAYER, SHINGLER, FLOOR SANDER OPERATOR AND OPERATORS OF OTHER STATIONARY WOOD WORKING TOOLS	28.08	8.05
MILLWRIGHT AND MACHINE ERECTORS	28.95	8.05
ACOUSTICAL WOKRERS	28.11	8.05
PILEDRIIVER, DRIVING, PULLING, CUTTING, PLACING COLLARS, SETTING, WELDING OR CRESOTE TREATED MATERIAL, ALL PILING	28.15	8.05
PILEDRIIVER, BRIDGE, DOCK & WHARF CARPENTERS	27.95	8.05
DIVERS	68.97	8.05
DIVERS TENDER	30.68	8.05

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - ALL

CLASSIFICATIONS EXCEPT MILLWRIGHTS AND PILEDRIVERS

Hourly Zone Pay shall be paid on jobs located outside of the free zone computed from the city center of the following listed cities:

Seattle	Olympia	Bellingham
Auburn	Bremerton	Anacortes
Renton	Shelton	Yakima
Aberdeen-Hoquiam	Tacoma	Wenatchee
Ellensburg	Everett	Port Angeles
Centralia	Mount Vernon	Sunnyside
Chelan	Pt. Townsend	

Zone Pay	
0 -25 radius miles	Free

25-35 radius miles	\$1.00/hour
35-45 radius miles	\$1.15/hour
45-55 radius miles	\$1.35/hour
Over 55 radius miles	\$1.55/hour

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - MILLWRIGHT AND
PILEDRIIVER ONLY)

Hourly Zone Pay shall be computed from Seattle Union
Hall, Tacoma City center, and Everett City center

Zone Pay	
0 -25 radius miles	Free
25-45 radius miles	\$.70/hour
Over 45 radius miles	\$1.50/hour

CENTRAL WASHINGTON: CHELAN, DOUGLAS (WEST OF THE 120TH MERIDIAN),
KITTITAS, OKANOGAN (WEST OF THE 120TH MERIDIAN) AND YAKIMA
COUNTIES

CARPENTERS AND DRYWALL APPLICATORS	20.72	7.82
CARPENTERS ON CREOSOTED MATERIAL	20.82	7.82
INSULATION APPLICATORS	20.72	7.82
SAWFILERS, STATIONARY POWER S37		
OPERATORS, FLOOR FINISHER,		
FLOOR LAYER, SHINGLERS, FLOOR		
SANDER OPERATORS	20.85	7.82
MILLWRIGHT AND MACHINE ERECTORS	28.95	7.82
PILEDRIIVER, DRIVING, PULLING,		
CUTTING, PLACING COLLARS,		
SETTING, WELDING OR CRESOTE		
TREATED MATERIAL, ALL PILING	28.15	7.82
PILEDRIIVER, BRIDGE DOCK AND		
WHARF CARPENTERS	27.95	7.82
DIVERS	68.97	8.05
DIVERS TENDER	30.68	8.05

ELEC0046A 12/30/2002		
	Rates	Fringes
CALLAM, JEFFERSON, KING AND KITSAP COUNTIES		
ELECTRICIANS	34.25	3%+9.55
CABLE SPLICERS	37.68	3%+9.55

ELEC0048C 01/01/2003		
	Rates	Fringes
CLARK, KLICKITAT AND SKAMANIA COUNTIES		
ELECTRICIANS	31.00	3%+11.83
CABLE SPLICERS	31.25	3%+11.83

* ELEC0073A 01/01/2003		
	Rates	Fringes
ADAMS, FERRY, LINCOLN, PEND OREILLE, SPOKANE, STEVENS, WHITMAN COUNTIES		

ELECTRICIANS	24.07	3%+10.63
CABLE SPLICERS	24.47	3%+10.63

ELEC0076B 07/01/2002

	Rates	Fringes
GRAYS HARBOR, LEWIS, MASON, PACIFIC, PIERCE, AND THURSTON COUNTIES		
ELECTRICIANS	29.78	3%+11.01
CABLE SPLICERS	32.76	3%+11.01

ELEC0077C 02/01/2003

	Rates	Fringes
LINE CONSTRUCTION:		
CABLE SPLICERS	37.95	3.875%+7.45
LINEMEN, POLE SPRAYERS,		
HEAVY LINE EQUIPMENT MAN	33.88	3.875%+7.45
LINE EQUIPMENT MEN	29.14	3.875%+5.70
POWDERMEN, JACKHAMMERMEN	25.41	3.875%+5.70
GROUNDMEN	23.72	3.875%+5.70
TREE TRIMMER	23.81	3.875%+5.70

ELEC0112E 06/01/2002

	Rates	Fringes
ASOTIN, BENTON, COLUMBIA, FRANKLIN, GARFIELD, KITTITAS, WALLA WALLA, YAKIMA COUNTIES		
ELECTRICIANS	28.75	3%+9.63
CABLE SPLICERS	30.19	3%+9.63

ELEC0191C 08/31/2002

	Rates	Fringes
ISLAND, SAN JUAN, SNOHOMISH, SKAGIT AND WHATCOM COUNTIES		
ELECTRICIANS	30.66	3%+9.33
CABLE SPLICERS	33.72	3%+9.33

ELEC0191D 12/01/2002

	Rates	Fringes
CHELAN, DOUGLAS, GRANT AND OKANOGAN COUNTIES		
ELECTRICIANS	26.66	3%+9.28
CABLE SPLICERS	29.33	3%+9.28

ELEC0970A 01/01/2003

	Rates	Fringes
COWLITZ AND WAHKIAKUM COUNTIES		
ELECTRICIANS	28.55	3%+9.25

CABLE SPLICERS	31.41	3%+9.25
----------------	-------	---------

ENGI0302E 06/01/2002

	Rates	Fringes
--	-------	---------

CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUAN, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES

PROJECTS

CATEGORY A PROJECTS (excludes Category B projects, as show below)

POWER EQUIPMENT OPERATORS:

Zone 1 (0-25 radius miles):

GROUP 1AAA	31.14	8.40
GROUP 1AA	30.64	8.40
GROUP 1A	30.14	8.40
GROUP 1	29.64	8.40
GROUP 2	29.20	8.40
GROUP 3	28.84	8.40
GROUP 4	26.74	8.40

Zone 2 (26-45 radius miles) - Add \$.70 to Zone 1 rates

Zone 3 (Over 45 radius miles) - Add \$1.00 to Zone 1 rates

BASEPOINTS: Bellingham, Mount Vernon, Kent, Port Angeles, Port Townsend, Aberdeen, Shelton, Bremerton, Wenatchee, Yakima, Seattle, Everett

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1AAA - Cranes-over 300 tons or 300 ft. of boom (including job with attachments)

GROUP 1AA - Cranes - 200 tons to 300 tons or 250 ft. of boom (including jib and attachments); Tower crane over 175 ft. in height, base to boom

GROUP 1A - Cranes - 100 tons thru 199 tons or 150' of boom (including jib with attachments); Crane-overhead, bridge type, 100 tons and over; Tower crane up to 175 ft. in height base to boom; Loader-overhead, 8 yards and over; Shovel, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway; Cranes-45 tons thru 99 tons, under 150 ft. of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Shovel, excavator, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader-overhead, 6 yards to, but not including 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9, HD 41, d-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self-propelled-45 yards and over; Slipform pavers; Transporters, all track or truck type

GROUP 2 - Barrier machine (zipper); Barch Plant operator-concrete; Bump cutter; Cranes-20 tons thru 44 tons with attachments; Cranes-overheads, bridge type-20 tons through 44 tons; Chipper; Concrete pump-truck mount with boom attachment; Crusher; Deck Engineer/Deck Winches (power); Drilling machine; Excavator, shovel backhoe-3 yards and under; Finishing machine Bidwell, Gamaco and similar equipment; Guardrail punch; Horizontal/directional drill operator; Loaders, overhead under 6 yds.; Loaders-plant feed; Locomotives-all; Mechanics-all; Mixers-asphalt plant; Motor patrol graders-finishing; Pildriver (other than crane mount); Roto-mill, roto-grinder; Screedman, Spreader, Topside Operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barber Green; Scraper-self-propelled, hard tail end dump, articulating off-road equipment-under 45 yards; Subgrader trimmer; Tractors, backhoes-over 75 hp; Transfer material service machine-shuttle buggy, blow Knox, Roadtec; Truck crane oiler/driver-100 tons and over; Truck mount portable conveyor; Yo Yo Pay Dozer

GROUP 3 - Conveyors; Cranes-thru 19 tons with attachments; Cranes-A-frame over 10 tons; Drill oilers-auger type, truck or crane mount; Dozers D9 and under; Forklifts-3000 lbs and over with attachments; horizontal/directional drill locator; Outside hoists-(elevators and manlifts), air tuggers, strao tower bucket elevators; Hydralifts/boom truck-over 10 tons; Loader-elevating type belt; Motor Patrol Grader-non-finishing; Plant Oiler-asphalt, crusher; Pumps-concrete; Roller, plant mix or multi-lift materials; Saws-concrete; Scrapers-concrete and carryall; Service engineers-equipment; Trenching machines; Truck crane oiler/driver-under 100 tons Tractors, backhoes-under 75 hp

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete Finish Machine-laser screed; Cranes-A-frame-10 tons and under; Elevator and manlift-permanent and shaft type; Forklifts-under 3000 lbs. with attachments; Gradechecker, stakeholder; Hydralifts, boom trucks-10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Post Hole Digger-mechanical; Power

Plant; Pumps-water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

CATEGORY B PROJECTS - 95% of the basic hourly rate for each group plus full fringe benefits applicable to Category A projects shall apply to the following projects. Reduced rates may be paid on the following:

1. Projects involving work on structures such as buildings and structures whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
3. Marine projects (docks, wharfs, etc.) less than \$150,000.

WORK PERFORMED ON HYDRAULIC DREDGES:

Total Project Cost \$300,000 and over

GROUP 1	28.38	8.40
GROUP 2	28.48	8.40
GROUP 3	28.82	8.40
GROUP 4	28.87	8.40
GROUP 5	30.26	8.40
GROUP 6	28.38	8.40

GROUP 1: Assistant Mate (Deckhand)
GROUP 2: Oiler
GROUP 3: Assistant Engineer (Electric, Diesel, Steam or
Booster Pump); Mates and Boatmen
GROUP 4: Craneman, Engineer Welder
GROUP 5: Leverman, Hydraulic
GROUP 6: Maintenance

Total Project cost under \$300,000

GROUP 1	26.96	8.40
GROUP 2	27.06	8.40
GROUP 3	27.38	8.40
GROUP 4	27.43	8.40
GROUP 5	28.75	8.40
GROUP 6	26.96	8.40

GROUP 1: Assistant Mate (Deckhand)
GROUP 2: Oiler
GROUP 3: Assistant Engineer (Electric, Diesel, Steam,
or Booster Pump); Mates and Boatmen
GROUP 4: Craneman, Engineer Welder
GROUP 5: Leverman, Hydraulic
GROUP 6: Maintenance

HEAVY WAGE RATES (CATEGORY A) APPLIES TO CLAM SHELL DREDGE, HOE
AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND
BULLDOZERS.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft
classifications subject to working inside a federally designated
hazardous perimeter shall be eligible for compensation in

accordance with the following group schedule relative to the
level of hazardous waste as outlined in the specific hazardous
waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not
outfitted with protective clothing
H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.
H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.
H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

ENGI0370C 06/01/2002

	Rates	Fringes
ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES		

ZONE 1:

POWER EQUIPMENT OPERATORS:

GROUP 1A	20.94	6.52
GROUP 1	21.49	6.52
GROUP 2	21.81	6.52
GROUP 3	22.42	6.52
GROUP 4	22.58	6.52
GROUP 5	22.74	6.52
GROUP 6	23.02	6.52
GROUP 7	23.29	6.52
GROUP 8	24.39	6.52

ZONE DIFFERENTIAL (Add to Zone 1
rate): Zone 2 - \$2.00

Zone 1: Within 45 mile radius of Spokane, Moses Lake, Pasco,
Washington; Lewiston, Idaho

Zone 2: Outside 45 mile radius of Spokane, Moses Lake, Pasco,
Washington; Lewiston, Idaho

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1A: Boat Operator; Crush Feeder; Oiler; Steam Cleaner

GROUP 1: Bit Grinders; Bolt Threading Machine; Compressors (under 2000 CFM, gas, diesel, or electric power); Deck Hand; Drillers Helper (Assist driller in making drill rod connections, service drill engine and air compressor, repair drill rig and drill tools, drive drill support truck to and on the job site, remove drill cuttings from around bore hole and inspect drill rig while in operation); Fireman & Heater Tender; Grade Checker; Hydro-seeder, Mulcher, Nozzleman; Oiler Driver, & Cable Tender, Mucking Machine; Pumpman; Rollers, all types on subgrade, including seal and chip coatings (farm type, Case, John Deere & similar, or Compacting Vibrator), except when pulled by Dozer with operable blade; Welding Machine

GROUP 2: A-frame Truck (single drum); Assistant Refrigeration Plant (under 1000 ton); Assistant Plant Operator, Fireman or Pugmixer (asphalt); Bagley or Stationary Scraper; Belt Finishing Machine; Blower Operator (cement); Cement Hog; Compressor (2000 CFM or over, 2 or more, gas diesel or electric power); Concrete Saw (multiple cut); Distributor Leverman; Ditch Witch or similar; Elevator Hoisting Materials; Dope Pots (power agitated); Fork Lift or Lumber Stacker, hydra-lift & similar; Gin Trucks (pipeline); Hoist, single drum; Loaders (bucket elevators and conveyors); Longitudinal Float; Mixer (portable-concrete); Pavement Breaker, Hydra-Hammer & similar; Power Broom; Railroad Ballast Regulation Operator (self-propelled); Railroad Power Tamper Operator (self-propelled); Railroad Tamper Jack Operator (self-propelled); Spray Curing Machine (concrete); Spreader Box (self-propelled); Straddle Buggy (Ross & similar on construction job only); Tractor (Farm type R/T with attachment, except Backhoe); Tugger Operator

GROUP 3: A-frame Truck (2 or more drums); Assistant Refrigeration Plant & Chiller Operator (over 1000 ton); Backfillers (Cleveland & similar); Batch Plant & Wet Mix Operator, single unit (concrete); Belt-Crete Conveyors with power pack or similar; Belt Loader (Kocal or similar); Bending Machine; Bob Cat; Boring Machine (earth); Boring Machine (rock under 8" bit) (Quarry Master, Joy or similar); Bump Cutter (Wayne, Saginaw or similar); Canal Lining Machine (concrete); Chipper (without crane); Cleaning & Doping Machine (pipeline); Deck Engineer; Elevating Belt-type Loader (Euclid, Barber Green & similar); Elevating Grader-type Loader (Dumort, Adams or similar); Generator Plant Engineers (diesel or electric); Gunnite Combination Mixer & Compressor; Locomotive Engineer; Mixermobile; Mucking Machine; Posthole Auger or Punch; Pump (grout or jet); Soil Stabilizer (P & H or similar); Spreader Machine; Tractor (to D-6 or equivalent) and Traxcavator; Traverse Finish Machine; Turnhead Operator

GROUP 4: Concrete Pumps (squeeze-crete, flow-crete, pump-crete, Whitman & similar); Curb Extruder (asphalt or concrete); Drills (churn, core, calyx or diamond)(operate drilling machine, drive or transport drill rig to and on job site and weld well casing); Equipment Serviceman; Greaser & Oiler; Hoist (2 or more drums or Tower Hoist); Loaders (overhead & front-end, under 4 yds. R/T); Refrigeration Plant Engineer (under 1000 ton); Rubber-tired Skidders (R/T with or without attachments); Surface Heater & Plant Machine; Trenching Machines (under 7 ft. depth capacity); Turnhead (with re-screening); Vacuum Drill (reverse circulation drill under 8" bit)

GROUP 5: Backhoe (under 45,000 gw); Backhoe & Hoe Ram (under 3/4 yd.); Carrydeck & Boom Truck (under 25 tons); Cranes (25 tons & under), all attachments including clamshell, dragline; Derricks & Stifflegs (under 65 tons); Drilling Equipment(8" bit & over) (Robbins, reverse circulation & similar)(operates drilling machine, drive or transport drill rig to and on job site and weld well casing); Hoe Ram; Piledriving Engineers; Paving (dual drum); Railroad Track Liner Operatr (self-propelled);

Refrigeration Plant Engineer (1000 tons & over); Signalman (Whirleys, Highline Hammerheads or similar)

GROUP 6: Asphalt Plant Operator; Automatic Subgrader (Ditches & Trimmers)(Autograde, ABC, R.A. Hansen & similar on grade wire); Backhoe (45,000 gw and over to 110,000 gw); Backhoes & Hoe Ram (3/4 yd. to 3 yd.); Batch Plant (over 4 units); Batch & Wet Mix Operator (multiple units, 2 & incl. 4); Blade Operator (motor patrol & attachments, Athey & Huber); Boom Cats (side); Cable Controller (dispatcher); Clamshell Operator (under 3 yds.); Compactor (self-propelled with blade); Concrete Pump Boom Truck; Concrete Slip Form Paver; Cranes (over 25 tons, to and including 45 tons), all attachments including clamshell, dragline; Crusher, Grizzle & Screening Plant Operator; Dozer, 834 R/T & similar; Draglines (under 3 yds.); Drill Doctor; H.D. Mechanic; H.D. Welder; Loader Operator (front-end & overhead, 4 yds. incl. 8 yds.); Multiple Dozer Units with single blade; Paving Machine (asphalt and concrete); Quad-Track or

similar equipment; Rollerman (finishing asphalt pavement); Roto Mill (pavement grinder); Scrapers, all, rubber-tired; Screed Operator; Shovel (under 3 yds.); Tractors (D-6 & equivalent & over); Trenching Machines (7 ft. depth & over); Tug Boat Operator Vactor guzzler, super sucker

GROUP 7: Backhoe (over 110,000 gw); Backhoes & Hoe Ram (3 yds & over); Blade (finish & bluetop) Automatic, CMI, ABC, Finish Athey & Huber & similar when used as automatic; Cableway Operators; Concrete Cleaning/Decontamination machine operator; Cranes (over 45 tons to but not including 85 tons), all attachments including clamshell and dragline; Derricks & Stiffleys (65 tons & over); Elevating Belt (Holland type); Heavy equipment robotics operator; Loader (360 degrees revolving Koehring Scooper or similar); Loaders (overhead & front-end, over 8 yds. to 10 yds.); Rubber-tired Scrapers (multiple engine with three or more scrapers); Shovels (3 yds. & over); Whirleys & Hammerheads, ALL

GROUP 8: Cranes (85 tons and over, and all climbing, overhead, rail and tower), all attachments including clamshell, dragline; Loaders (overhead and front-end, 10 yards and over); Helicopter Pilot

BOOM PAY: (All Cranes, Including Tower)

180' to 250'	\$.30 over scale
Over 250'	\$.60 over scale

NOTE: In computing the length of the boom on Tower Cranes, they shall be measured from the base of the Tower to the point of the boom.

HAZMAT: Anyone working on HAZMAT jobs, working with supplied air shall receive \$1.00 an hour above classification.

ENGI0370G 06/01/2002

	Rates	Fringes
ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN),		

COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

WORK PERFORMED ON HYDRAULIC DREDGES

GROUP 1:	24.73	6.27
GROUP 2:	25.10	6.27
GROUP 3:	25.13	6.27
GROUP 4:	25.52	6.27
GROUP 5:	24.73	6.27

GROUP 1: Assistant Mate (Deckhand) and Oiler
GROUP 2: Assistant Engineer (Electric, Diesel, Steam, or Booster Pump); Mates and Boatmen
GROUP 3: Engineer Welder
GROUP 4: Leverman, Hydraulic

GROUP 5: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER,
SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

ENGI0612A 06/01/2002

LEWIS, PIERCE, PACIFIC (THAT PORTION WHICH LIES NORTH OF A
PARALLEL LINE EXTENDED WEST FROM THE NORTHERN BOUNDARY OF
WAHKAUKUM COUNTY TO THE SEA IN THE STATE OF WASHINGTON) AND
THURSTON COUNTIES

PROJECTS:

CATEGORY A PROJECTS (excludes Category B projects, as shown
below)

POWER EQUIPMENT OPERATORS:

ZONE 1 (0-25 radius miles):

	Rates	Fringes
GROUP 1AAA	31.14	8.40
GROUP 1AA	30.64	8.40
GROUP 1A	30.14	8.40
GROUP 1	29.64	8.40
GROUP 2	29.20	8.40
GROUP 3	28.94	8.40
GROUP 4	26.74	8.40

ZONE 2 (26-45 radius miles) - Add \$.70 to Zone 1 rates

ZONE 3 (Over 45 radius miles) - Add \$1.00 to Zone 1 rates

BASEPOINTS: Tacoma, Olympia, and Centralia

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1AAA - Cranes-300 tons, or 300 ft of boom (including jib
with attachments)

GROUP 1AA - Cranes 200 tons to 300 tons, or 250 ft of boom
(including jib with attachments); Tower crane over 175 ft in
height, base to boom

GROUP 1A - Crane 100 tons thru 199 tons, or 150 of boom
(including jib with attachments); Crane-overhead, bridge type,
100 tons and over; Shovel, excavator, backhoes-6 yds and over
with attachments

GROUP 1 - Cableways; Cranes-45 tons thru 99 tons, under 150 ft
of boom (including jib with attachments); Crane-overhead, bridge
type - 45 tons thru 99 tons; Excavator, shovel, backhoes over 3
yards and under 6 yards; hard tail end dump articulating off-road
equipment 45 yards and over; loader-overhead 6 yards to, but not
including 8 yards; Mucking machine, mole, tunnel, drill and/or
shield; Quad 9, HD 41, D-10; Remote control operator on rubber
tired earth moving equipment; Rollagon; Scrapers-self-
propelled-45 yds and over; Slipform pavers; Transporters-all
track or truck type

GROUP 2 - Barrier machine (zipper); Batch Plant Operator-concrete; Bump cutter; Cranes-20 tons through 44 tons with attachments; Crane-overhead, bridge type-20 tons thru 44 tons; Chipper, Concrete Pump-truck mounted with boom attachment; Crushers; Deck Engineer/Deck Winches (power); Drilling machine; Excavator, shovel, backhoe-3yards and under; Finishing machine, Bidwell, Gamaco and similar equipment; Guardrail punch; Horizontal/directional drill operator; Loaders, overhead under 6 yds.; Loaders, plant feed; Locomotive-all; Mechanics-all; Mixers, asphalt plant; Motor patrol graders-finishing; Piledriver (other than crane mount); Roto-mill, roto grinder; screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-self propelled, hard tail end dump, articulating off-road equipment under 45 yds.; Subgrader trimmer; Tractors, backhoes over 75 hp.; Transfer material service machine-shuttle buggy, Blaw Knox-Roadtec; Truck Crane Oiler/driver-100 tons and over, Truck Mount Portable Conveyor; Yo Yo Pay dozer.

GROUP 3 - Conveyors; Cranes-thru 19 tons with attachments; Cranes-A-frame over 10 tons; Drill Oilers-Auger type, truck or crane mount; Dozers-D-9 and under; Forklifts-3000 lbs. and over with attachments; Horizontal/directional drill locator; Outside hoists-(elevators and manlifts), air tuggers, strato tower bucket elevators; Hydralifts/Boom Trucks-over 10 tons; Loaders-elevating type, belt; Motor patrol grader-nonfinishing; Plant Oiler-Asphalt, Crusher; Pumps, Concrete; Roller, plant mix or multi-lift materials; Saws-concrete; Scrapers-Concrete and Carry all; Trenching machines; Truck Crane Oiler/Driver-under 100 tons; Tractor, backhoe-under 75 hp

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete Finish Machine-laser screed; Crane-A-Frame, 10 tons and under; Elevator and manlift-permanent and shaft type; Forklifts-under 3000 lbs. with attachments; Gradechecker, stakehop; Hydralifts, boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole Digger-mechanical; Power plant;

Pumps-Water; Roller-other than Plant Mix; Wheel Tractors, Farmall type; Shotcrete/Gunite Equipment Operator

CATEGORY B PROJECTS - 95% of the basic hourly rate for each group plus full fringe benefits applicable to Category A projects shall apply to the following projects: Reduced rates may be paid on the following:

1. Projects involving work on structures such as buildings and structures whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
3. Marine projects (docks, wharfs, etc.) less than \$150,000

WORK PERFORMED ON HYDRAULIC DREDGES:

Total Project cost \$300,000 and over

GROUP 1	28.38	8.40
---------	-------	------

GROUP 2	28.48	8.40
GROUP 3	28.82	8.40
GROUP 4	28.87	8.40
GROUP 5	30.26	8.40
GROUP 6	28.38	8.40

GROUP 1: Assistant Mate (Deckhand)
 GROUP 2: Oiler
 GROUP 3: Assistant Engineer (Electric, Diesel, Steam or Booster Pump); Mates and Boatmen
 GROUP 4: Craneman, Engineer Welder
 GROUP 5: Leverman, Hydraulic
 GROUP 6: Maintenance

Total Project Cost under \$300,000

GROUP 1	26.96	8.40
GROUP 2	27.06	8.40
GROUP 3	27.38	8.40
GROUP 4	27.43	8.40
GROUP 5	28.75	8.40
GROUP 6	26.96	8.40

GROUP 1: Assistant Mate (Deckhand)
 GROUP 2: Oiler
 GROUP 3: Assistant Engineer (Electric, Diesel, Steam or Booster Pump); Mates and Boatmen
 GROUP 4: Craneman, Engineer Welder
 GROUP 5: Leverman, Hydraulic
 GROUP 6: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHEEL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS

HANDLING OF HAZARDOUS WASTE MATERIALS

H-1 - When not outfitted with protective clothing of level D equipment - Base wage rate
 H-2 - Class "C" Suit - Base wage rate + \$.25 per hour
 H-3 - Class "B" Suit - Base wage rate + \$.50 per hour
 H-4 - Class "A" Suit - Base wage rate +\$.75 per hour

 ENGI0701D 01/01/2003

	Rates	Fringes
CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHIAKUM COUNTIES		

POWER EQUIPMENT OPERATORS (See Footnote A)

ZONE 1:

GROUP 1	29.30	8.95
GROUP 1A	30.77	8.95
GROUP 1B	32.23	8.95
GROUP 2	28.07	8.95
GROUP 3	27.31	8.95
GROUP 4	26.79	8.95
GROUP 5	26.19	8.95

GROUP 6

23.84

8.95

Zone Differential (add to Zone 1 rates):

Zone 2 - \$1.50

Zone 3 - 3.00

For the following metropolitan counties: MULTNOMAH; CLACKAMAS; MARION; WASHINGTON; YAMHILL; AND COLUMBIA; CLARK; AND COWLITZ COUNTY, WASHINGTON WITH MODIFICATIONS AS INDICATED:

All jobs or projects located in Multnomah, Clackamas and Marion Counties, West of the western boundary of Mt. Hood National Forest and West of Mile Post 30 on Interstate 84 and West of Mile Post 30 on State Highway 26 and West of Mile Post 30 on Highway 22 and all jobs or projects located in Yamhill County, Washington County and Columbia County and all jobs or projects located in Clark & Cowlitz County, Washington except that portion of Cowlitz County in the Mt. St. Helens "Blast Zone" shall receive Zone I pay for all classifications.

All jobs or projects located in the area outside the identified boundary above, but less than 50 miles from the Portland City Hall shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the Portland City Hall, but outside the identified border above, shall receive Zone III pay for all classifications.

For the following cities: ALBANY; BEND; COOS BAY; EUGENE; GRANTS PASS; KLAMATH FALLS; MEDFORD; ROSEBURG

All jobs or projects located within 30 miles of the respective city hall of the above mentioned cities shall receive Zone I pay for all classifications.

All jobs or projects located more than 30 miles and less than 50 miles from the respective city hall of the above mentioned cities shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the respective city hall of the above mentioned cities shall receive Zone III pay for all classifications.

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: CONCRETE: Batch Plant and/or Wet Mix Operator, three units or more; CRANE: Helicopter Operator, when used in erecting work; Whirley Operator, 90 ton and over; LATTICE BOOM CRANE: Operator 200 tons through 299 tons, and/or over 200 feet boom; HYDRAULIC CRANE: Hydraulic Crane Operator 90 tons through 199 tons with luffing or tower attachments; FLOATING EQUIPMENT: Floating Crane, 150 ton but less than 250 ton

GROUP 1A: HYDRAULIC CRANE: Hydraulic Operator, 200 tons and over (with luffing or tower attachment); LATTICE BOOM CRANE: Operator, 200 tons through 299 tons, with over 200 feet boom; FLOATING

EQUIPMENT: Floating Crane 250 ton and over

GROUP 1B: LATTICE BOOM CRANE: Operator, 300 tons through 399 tons with over 200 feet boom; Operator 400 tons and over; FLOATING EQUIPMENT: Floating Crane 350 ton and over

GROUP 2: ASPHALT: Asphalt Plant Operator (any type); Roto Mill, pavement profiler, operator, 6 foot lateral cut and over; BLADE: Auto Grader or "Trimmer" (Grade Checker required); Blade Operator, Robotic; BULLDOZERS: Bulldozer operator over 120,000 lbs and above; Bulldozer operator, twin engine; Bulldozer Operator,tandem, quadnine, D10, D11, and similar type; Bulldozere Robotic Equipment (any type; CONCRETE: Batch Plant and/or Wet Mix Operator, one and two drum; Automatic Concrete Slip Form Paver Operator; Concrete Canal Line Operator; Concrete Profiler, Diamond Head; CRANE: Cableway Operator, 25 tons and over; HYDRAULIC CRANE: Hydraulic crane operator 90 tons through 199 tons (with luffing or tower attachment); TOWER/WHIRLEY OPERATOR: Tower Crane Operator; Whirley Operator, under 90 tons; LATTICE BOOM CRANE: 90 through 199 tons and/or 150 to 200 feet boom; CRUSHER: Crusher Plant Operator; FLOATING EQUIPMENT: Floating Clamshell, etc.operator, 3 cu. yds. and over; Floating Crane (derrick barge) Operator, 30 tons but less than 150 tons; LOADERS: Loader operator, 120,000 lbs. and above; REMOTE CONTROL: Remote controlled earth-moving equipment; RUBBER-TIRED SCRAPERS: Rubber-tired scraper operator, with tandem scrapers, multi-engine; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Shovel, Dragline, Clamshell, operator 5 cu. yds and over; TRENCHING MACHINE: Wheel Excavator, under 750 cu. yds. per hour (Grade Oiler required); Canal Trimmer (Grade Oiler required); Wheel Excavator, over 750 cu. yds. per hour; Band Wagon (in conjunction with wheel excavator); UNDERWATER EQUIPMENT: Underwater Equipment Operator, remote or otherwise; HYDRAULIC HOES-EXCAVATOR: Excavator over 130,000 lbs.

GROUP 3: BULLDOZERS: Bulldozer operator, over 70,000 lbs. up to and including 120,000 lbs.; HYDRAULIC CRANE: Hydraulic crane operator, 50 tons through 89 tons (with luffing or tower attachment); LATTICE BOOM CRANES: Lattice Boom Crane-50 through 89 tons (and less than 150 feet boom); FORKLIFT: Rock Hound Operator; HYDRAULIC HOES-EXCAVATOR: excavator over 80,000 lbs. through 130,000 lbs.; LOADERS: Loader operator 60,000 and less than 120,000; RUBBER-TIRED SCRAPERS: Scraper Operator, with tandem scrapers; Self-loading, paddle wheel, auger type, finish and/or 2 or more units; SHOVEL, DRAGLINE, CLAMSHELL,SKOOPER OPERATOR: Shovel, Dragline, Clamshell operators 3 cu. yds. but less than 5 cu yds.

GROUP 4: ASPHALT: Screed Operator; Asphalt Paver operator (screeman required); BLADE: Blade operator; Blade operator, finish; Blade operator, externally controlled by electronic, mechanical hydraulic means; Blade operator, multi-engine; BULLDOZERS: Bulldozer Operator over 20,000 lbs and more than 100 horse up to 70,000 lbs; Drill Cat Operator; Side-boom Operator; Cable-Plow Operator (any type); CLEARING: Log Skidders;

Chippers; Incinerator; Stump Splitter (loader mounted or similar type); Stump Grinder (loader mounted or similar type; Tub Grinder; Land Clearing Machine (Track mounted forestry mowing & grinding machine); Hydro Axe (loader mounted or similar type); COMPACTORS SELF-PROPELLED: Compactor Operator, with blade; Compactor Operator, multi-engine; Compactor Operator, robotic; CONCRETE: Mixer Mobile Operator; Screed Operator; Concrete Cooling Machine Operator; Concrete Paving Road Mixer; Concrete Breaker; Reinforced Tank Banding Machine (K-17 or similar types); Laser Screed; CRANE: Chicago boom and similar types; Lift Slab Machine Operator; Boom type lifting device, 5 ton capacity or less; Hoist Operator, two (2) drum; Hoist Operator, three (3) or more drums; Derrick Operator, under 100 ton; Hoist Operator, stiff leg, guy derrick or similar type, 50 ton and over; Cableway Operator up to twenty (25) ton; Bridge Crane Operator, Locomotive, Gantry, Overhead; Cherry Picker or similar type crane; Carry Deck Operator; Hydraulic Crane Operator, under 50 tons; LATTICE BOOM CRANE OPERATOR: Lattice Boom Crane Operator, under 50 tons; CRUSHER: Generator Operator; Diesel-Electric Engineer; Grizzley Operator; Drill Doctor; Boring Machine Operator; Driller-Percussion, Diamond, Core, Cable, Rotary and similar type; Cat Drill (John Henry); Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT: Diesel-electric Engineer; Jack Operator, elevating barges, Barge Operator, self-unloading; Piledriver Operator (not crane type) (Deckhand required); Floating Clamshell, etc. Operator, under 3 cu. yds. (Fireman or Diesel-Electric Engineer required); Floating Crane (derrick barge) Operator, less than 30 tons; GENERATORS: Generator Operator; Diesel-electric Engineer; GUARDRAIL EQUIPMENT: Guardrail Punch Operator (all types); Guardrail Auger Operator (all types); Combination Guardrail machines, i.e., punch auger, etc.; HEATING PLANT: Surface Heater and Planer Operator; HYDRAULIC HOES EXCAVATOR: Robotic Hydraulic backhoe operator, track and wheel type up to and including 20,000 lbs. with any or all attachments; Excavator Operator over 20,000 lbs through 80,000 lbs.; LOADERS: Belt Loaders, Kolman and Ko Cal types; Loaders Operator, front end and overhead, 25,000 lbs and less

than 60,000 lbs; Elevating Grader Operator by Tractor operator, Sierra, Euclid or similar types; PILEDRIVERS: Hammer Operator; Piledriver Operator (not crane type); PIPELINE, SEWER WATER: Pipe Cleaning Machine Operator; Pipe Doping Machine Operator; Pipe Bending Machine Operator; Pipe Wrapping Machine Operator; Boring Machine Operator; Back Filling Machine Operator; REMOTE CONTROL: Concrete Cleaning Decontamination Machine Operator; Ultra High Pressure Water Jet Cutting Tool System Operator/Mechanic; Vacuum Blasting Machine Operator/mechanic; REPAIRMEN, HEAVY DUTY: Diesel Electric Engineer (Plant or Floating; Bolt Threading Machine operator; Drill Doctor (Bit Grinder); H.D. Mechanic; Machine Tool Operator; RUBBER-TIRED SCRAPERS: Rubber-tired Scraper Operator, single engine, single scraper; Self-loading, paddle wheel, auger type under 15 cu. yds.; Rubber-tired Scraper Operator, twin engine; Rubber-tired Scraper Operator, with push-pull attachments; Self Loading, paddle wheel, auger type 15 cu. yds. and over, single engine; Water pulls, water wagons; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Diesel Electric Engineer; Stationary Drag Scraper Operator; Shovel, Dragline, Clamshell,

Operator under 3 cy yds.; Grade-all Operator; SURFACE (BASE) MATERIAL: Blade mounted spreaders, Ulrich and similar types; TRACTOR-RUBBERED TIRED: Tractor operator, rubber-tired, over 50 hp flywheel; Tractor operator, with boom attachment; Rubber-tired dozers and pushers (Michigan, Cat, Hough type); Skip Loader, Drag Box; TRENCHING MACHINE: Trenching Machine operator, digging capacity over 3 ft depth; Back filling machine operator; TUNNEL: Mucking machine operator

GROUP 5: ASPHALT: Extrusion Machine Operator; Roller Operator (any asphalt mix); Asphalt Burner and Reconditioner Operator (any type); Roto-Mill, pavement profiler, ground man; BULLDOZERS: Bulldozer operator, 20,000 lbs. or less or 100 horse or less; COMPRESSORS: Compressor Operator (any power), over 1,250 cu. ft. total capacity; COMPACTORS: Compactor Operator, including vibratory; Wagner Pactor Operator or similar type (without blade); CONCRETE: Combination mixer and Compressor Operator, gunite work; Concrete Batch Plant Quality Control Operator; Belcrete Operator; Pumpcrete Operator (any type); Pavement Grinder and/or Grooving Machine Operator (riding type); Cement Pump Operator, Fuller-Kenyon and similar; Concrete Pump Operator; Grouting Machine Operator; Concrete mixer operator, single drum, under (5) bag capacity; Cast in place pipe laying machine; maginnis Internal Full slab vibrator operator; Concrete finishing machine operator, Clary, Johnson, Bidwell, Burgess Bridge deck or similar type; Curb Machine Operator, mechanical Berm, Curb and/or Curb and Gutter; Concrete Joint Machine Operator; Concrete Planer Operator; Tower Mobile Operator; Power Jumbo Operator setting slip forms in tunnels; Slip Form Pumps, power driven hydraulic lifting device for concrete forms; Concrete Paving Machine Operator; Concrete Finishing Machine Operator; Concrete Spreader Operator; CRANE: Helicopter Hoist Operator; Hoist Operator, single drum; Elevator Operator; A-frame Truck Operator, Double drum; Boom Truck Operator; HYDRAULIC CRANE OPERATOR: Hydraulic Boom Truck, Pittman; DRILLING: Churm Drill and Earth Boring Machine Operator; Vacuum Truck; Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT:

Fireman; FORKLIFT: Fork Lift, over 10 ton and/or robotic; HYDRAULIC HOES EXCAVATORS: Hydraulic Backhoe Operator, wheel type (Ford, John Deere, Case type); Hydraulic Backhoe Operator track type up to and including 20,000 lbs.; LOADERS: Loaders, rubber-tired type, less than 25,000 lbs; Elevating Grader Operator, Tractor Towed requiring Operator or Grader; Elevating loader operator, Athey and similar types; OILERS: Service oiler (Greaser); PIPELINE-SEWER WATER: Hydra hammer or simialr types; Pavement Breaker Operator; PUMPS: Pump Operator, more than 5 (any size); Pot Rammer Operator; RAILROAD EQUIPMENT: Locomotive Operator, under 40 tons; Ballast Regulator Operator; Ballast Tamper Multi-Purpose Operator; Track Liner Operator; Tie Spacer Operator; Shuttle Car Operator; Locomotive Operator, 40 tons and over; MATERIAL HAULRS: Cat wagon DJB's Volvo similar types; Conveyored material hauler; SURFACING (BASE) MATERIAL: Rock Spreaders, self-propelled; Pulva-mixer or similar types; Chiip Spreading machine operator; Lime spreading operator, construction job siter; SWEEPERS: Sweeper operator (Wayne type) self-propelled construction job site; TRACTOR-RUBBER TIRED: Tractor operator,

rubber-tired, 50 hp flywheel and under; Trenching machine operator, maximum digging capacity 3 ft depth; TUNNEL: Dinkey GROUP 6: ASPHALT: Plant Oiler; Plant Fireman; Pugmill Operator (any type); Truck mounted asphalt spreader, with screed; COMPRESSORS: Compressor Operator (any power), under 1,250 cu. ft. total capacity; CONCRETE: Plant Oiler, Assistant Conveyor Operator; Conveyor Operator; Mixer Box Operator (C.T.B., dry batch, etc.); Cement Hog Operator; Concrete Saw Operator; Concrete Curing Machine Operator (riding type); Wire Mat or Brooming Machine Operator; CRANE: Oiler; Fireman, all equipment; Truck Crane Oiler Driver; A-frame Truck Operator, single drum; Tugger or Coffin Type Hoist Operator; CRUSHER: Crusher Oiler; Crusher Feeder; CRUSHER: Crusher oiler; Crusher feeder; DRILLING: Drill Tender; Auger Oiler; FLOATING EQUIPMENT: Deckhand; Boatman; FORKLIFT: Self-propelled Scaffolding Operator, construction job site (excluding working platform); Fork Lift or Lumber Stacker Operator, construction job site; Ross Carrier Operator, construction job site; Lull Hi-Lift Operator or Similar Type; GUARDRAIL EQUIPMENT: Oiler; Auger Oiler; Oiler, combination guardrail machines; Guardrail Punch Oiler; HEATING PLANT: Temporary Heating Plant Operator; LOADERS: Bobcat, skid steer (less than 1 cu yd.); Bucket Elevator Loader Operator, BarberGreene and similar types; OILERS: Oiler; Guardrail Punch Oiler; Truck Crane Oiler-Driver; Auger Oiler; Grade Oiler, required to check grade; Grade Checker; Rigger; PIPELINE-SEWER WATER: Tar Pot Fireman; Tar Pot Fireman (power agitated); PUMPS: Pump Operator (any power); Hydrostatic Pump Operator; RAILROAD EQUIPMENT: Brakeman; Oiler; Switchman; Motorman; Ballast Jack Tamper Operator; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER, ETC. OPERATOR: Oiler, Grade Oiler (required to check grade); Grade Checker; Fireman; SWEEPER: Broom operator, self propelled, construction job site; SURFACING (BASE) MATERIAL: Roller Operator, grading of base rock (not asphalt); Tamping Machine operator, mechanical, self-propelled; Hydrographic Seeder Machine Operator; TRENCHING MACHINE: Oiler; Grade Oiler; TUNNEL: Conveyor operator; Air filtration equipment operator

ENGI0701E 06/01/2002

CLARK, COWLITZ, KLUCKITAT, PACIFIC (SOUTH), SKAMANIA,
AND WAHKIACUM COUNTIES

DREDGING:

	Rates	Fringes
ZONE A		
LEVERMAN, HYDRAULIC	32.43	8.50
LEVERMAN, DIPPER, FLOATING CLAMSHELL	30.25	8.50
ASSISTANT ENGINEER	29.25	8.50
TENDERMAN	28.44	8.50
ASSISTANT MATE	26.58	8.50
ZONE B		
LEVERMAN, HYDRAULIC	34.43	8.50
LEVERMAN, DIPPER,		

FLOATING CLAMSHELL	32.25	8.50
ASSISTANT ENGINEER	31.25	8.50
TENDERMAN	30.44	8.50
ASSISTANT MATE	28.58	8.50

ZONE C		
LEVERMAN, HYDRAULIC	35.43	8.50
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL	33.25	8.50
ASSISTANT ENGINEER	32.25	8.50
TENDERMAN	31.44	8.50
ASSISTANT MATE	29.58	8.50

ZONE DESCRIPTION FOR DREDGING:

ZONE A - All jobs or projects located within 30 road miles of Portland City Hall.

ZONE B - Over 30-50 road miles from Portland City Hall.

ZONE C - Over 50 road miles from Portland City Hall.

*All jobs or projects shall be computed from the city hall by the shortest route to the geographical center of the project.

* IRON0014F 02/01/2003

	Rates	Fringes
ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND ORIELLE, SPOKANE, STEVENS, WALLA WALLA AND WHITMAN COUNTIES		

IRONWORKERS	25.52	11.80
-------------	-------	-------

IRON0029I 07/01/2002

	Rates	Fringes
CLARK, COWLITZ, KLINKITAT, PACIFIC, SKAMANIA, AND WAHKAUKUM COUNTIES		

IRONWORKERS	26.97	11.80
-------------	-------	-------

IRON0086B 07/01/2002

	Rates	Fringes
YAKIMA, KITTITAS AND CHELAN COUNTIES		

IRONWORKERS	26.72	11.80
-------------	-------	-------

IRON0086E 07/01/2002

	Rates	Fringes
CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PIERCE, SKAGIT, SNOHOMISH, THURSTON, AND WHATCOM COUNTIES		

IRONWORKERS	27.22	11.80
-------------	-------	-------

LAB00001D 06/01/2002

	Rates	Fringes
--	-------	---------

CHELAN, DOUGLAS (WEST OF THE 120TH MERIDIAN), KITTITAS AND
YAKIMA COUNTIES

LABORERS:

ZONE 1:

GROUP 1	14.79	6.20
GROUP 2	17.11	6.20
GROUP 3	18.83	6.20
GROUP 4	19.31	6.20
GROUP 5	19.67	6.20

ZONE DIFFERENTIAL (ADD TO ZONE 1 RATES):

ZONE 2 - \$.70

ZONE 3 - \$1.00

BASE POINTS: CHELAN, SUNNYSIDE, WENATCHEE,
AND YAKIMA

ZONE 1 - Projects within 25 radius miles of the respective city
hall

ZONE 2 - More than 25 but less than 45 radius miles from the
respective city hall

ZONE 3 - More than 45 radius miles from the respective city hall

CALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS,
MASON, PACIFIC (NORTH OF STRAIGHT LINE MADE BY EXTENDING THE
NORTH BOUNDARY WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN),
PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM
COUNTIES

LABORERS:

ZONE 1:

GROUP 1	17.71	6.20
GROUP 2	20.03	6.20
GROUP 3	24.71	6.20
GROUP 4	25.19	6.20
GROUP 5	25.55	6.20

ZONE DIFFERENTIAL (ADD TO ZONE 1 RATES):

ZONE 2 - \$.70

ZONE 3 - \$1.00

BASE POINTS: BELLINGHAM, MT. VERNON, EVERETT,
SEATTLE, KENT, TACOMA, OLYMPIA,
CENTRALIA, ABERDEEN, SHELTON, PT.
TOWNSEND, PT. ANGELES, AND BREMERTON

ZONE 1 - Projects within 25 radius miles of the respective city
hall

ZONE 2 - More than 25 but less than 45 radius miles from the
respective city hall

ZONE 3 - More than 45 radius miles from the respective city hall

LABORERS CLASSIFICATIONS

GROUP 1: Landscaping and Planting; Watchman; Window

Washer/Cleaner (detail clean-up, such as but not limited to cleaning floors, ceilings, walls, windows, etc., prior to final acceptance by the owner)

GROUP 2: Batch Weighman; Crusher Feeder; Fence Laborer; Flagman; Pilot Car

GROUP 3: General Laborer; Air, Gas, or Electric Vibrating Screed; Asbestos Abatement Laborer; Ballast Regulator Machine; Brush Cutter; Brush Hog Feeder; Burner; Carpenter Tender; Cement Finisher Tender; Change House or Dry Shack; Chipping Gun (under 30 lbs.); Choker Setter; Chuck Tender; Clean-up Laborer; Concrete Form Stripper; Curing Laborer; Demolition (wrecking and moving including charred material); Ditch Digger; Dump Person; Fine Graders; Firewatch; Form Setter; Gabian Basket Builders; Grout Machine Tender; Grinders; Guardrail Erector; Hazardous Waste Worker (Level C); Maintenance Person; Material Yard Person; Pot Tender; Rip Rap Person; Riggers; Scale Person; Sloper Sprayer; Signal Person; Stock Piler; Stake Hopper; Toolroom Man (at job site); Topper-Tailer; Track Laborer; Truck Spotter; Vinyl Seamer

GROUP 4: Cement Dumper-Paving; Chipping Gun (over 30 lbs.); Clary Power Spreader; Concrete Dumper/Chute Operator; Concrete Saw Operator; Drill Operator (hydraulic, diamond, aiartrac); Faller and Bucker Chain Saw; Grade Checker and Transit Person; Groutmen (pressure) including post tension beams; Hazardous Waste Worker (Level B); High Scaler; Jackhammer; Laserbeam Operator; Manhole Builder-Mudman; Mortarman and Hodcarrier; Nozzleman (concrete pump, green cutter when using combination of high pressure air and water on concrete and rock, sandblast, gunite, shotcrete, water blaster, vacuum blaster); Pavement Breaker; Pipe Layer and Caulker; Pipe Pot Tender; Pipe Reliner (not insert type); Pipe Wrapper; Power Jacks; Railroad Spike Puller-Power; Raker-Asphalt; Rivet Buster; Rodder; Sloper (over 20'); Spreader

(concrete); Tamper and Similar electric, air and glas operated tool; Timber Person-sewer (lagger shorer and cribber); Track Liner Power; Tugger Operator; Vibrator; Well Point Laborer

GROUP 5: Caisson Worker; Miner; Powderman; Re-Timberman; Hazardous Waste Worker (Level A).

LAB00238E 06/01/2002

	Rates	Fringes
ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA AND WHITMAN COUNTIES		

LABORERS:

ZONE 1:

GROUP 1	17.66	5.50
GROUP 2	19.76	5.50
GROUP 3	20.03	5.50
GROUP 4	20.30	5.50
GROUP 5	20.58	5.50

GROUP 6

21.95

5.50

Zone Differential (Add to Zone 1
rate): \$2.00

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston

Zone 1: 0-45 radius miles from the main post office.

Zone 2: 45 radius miles and over from the main post office.

LABORERS CLASSIFICATIONS

GROUP 1: Flagman; Landscape Laborer; Scaleman; Traffic Control Maintenance Laborer (to include erection and maintenance of barricades, signs and relief of flagperson); Window Washer/Cleaner (detail cleanup, such as, but not limited to cleaning floors, ceilings, walls, windows, etc. prior to final acceptance by the owner)

GROUP 2: Asbestos Abatement Worker; Brush Hog Feeder; Carpenter Tender; Cement Handler; Clean-up Laborer; Concrete Crewman (to include stripping of forms, hand operating jacks on slip form construction, application of concrete curing compounds, pumpcrete machine, signaling, handling the nozzle of squeezecrete or similar machine, 6 inches and smaller); Confined Space Attendant; Concrete Signalman; Crusher Feeder; Demolition (to include clean-up, burning, loading, wrecking and salvage of all material); Dumpman; Fence Erector; Firewatch; Form Cleaning Machine Feeder; Stacker; General Laborer; Grout Machine Header Tender; Guard Rail (to include guard rails, guide and reference posts, sign posts, and right-of-way markers); Hazardous Waste Worker, Level D (no respirator is used and skin protection is minimal); Miner, Class "A" (to include all bull gang, concrete crewman, dumpman and pumpcrete crewman, including distributing pipe, assembly &

dismantle, and nipper); Nipper; Riprap Man; Sandblast Tailhoeman; Scaffold Erector (wood or steel); Stake Jumper; Structural Mover (to include separating foundation, preparation, cribbing, shoring, jacking and unloading of structures); Tailhoeman (water nozzle); Timber Bucker and Faller (by hand); Track Laborer (RR); Truck Loader; Well-Point Man; All Other Work Classifications Not Specially Listed Shall Be Classified As General Laborer

GROUP 3: Asphalt Raker; Asphalt Roller, walking; Cement Finisher Tender; Concrete Saw, walking; Demolition Torch; Dope Pot Firemen, non-mechanical; Driller Tender (when required to move and position machine); Form Setter, Paving; Grade Checker using level; Hazardous Waste Worker, Level C (uses a chemical "splash suit" and air purifying respirator); Jackhammer Operator; Miner, Class "B" (to include brakeman, finisher, vibrator, form setter); Nozzleman (to include squeeze and flo-crete nozzle); Nozzleman, water, air or steam; Pavement Breaker (under 90 lbs.); Pipelayer, corrugated metal culvert; Pipelayer, multi-plate; Pot Tender; Power Buggy Operator; Power Tool Operator, gas, electric, pneumatic; Railroad Equipment, power driven, except dual mobile power spiker or puller; Railroad Power Spiker

or Puller, dual mobile; Rodder and Spreader; Tamper (to include operation of Barco, Essex and similar tampers); Trencher, Shawnee; Tugger Operator; Wagon Drills; Water Pipe Liner; Wheelbarrow (power driven)

GROUP 4: Air and Hydraulic Track Drill; Brush Machine (to include horizontal construction joint cleanup brush machine, power propelled); Caisson Worker, free air; Chain Saw Operator and Faller; Concrete Stack (to include laborers when laborers working on free standing concrete stacks for smoke or fume control above 40 feet high); Guniting (to include operation of machine and nozzle); Hazardous Waste Worker, Level B (uses same respirator protection as Level A. A supplied air line is provided in conjunction with a chemical "splash suit"); High Scaler; Laser Beam Operator (to include grade checker and elevation control); Miner, Class C (to include miner, nozzle man for concrete, laser beam operator and rigger on tunnels); Monitor Operator (air track or similar mounting); Mortar Mixer; Nozzle man (to include jet blasting nozzle man, over 1,200 lbs., jet blast machine power propelled, sandblast nozzle); Pavement Breaker (90 lbs. and over); Pipelayer (to include working topman, caulker, collarman, jointer, mortar man, rigger, jacker, shorer, valve or meter installer); Pipewrapper; Plasterer Tender; Vibrators (all)

GROUP 5 - Drills with Dual Masts; Hazardous Waste Worker, Level A (utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line); Miner Class "D", (to include raise and shaft miner, laser beam operator on raises and shafts)

GROUP 6 - Powderman

LAB00238G 06/01/2002

	Rates	Fringes
COUNTIES EAST OF THE 120TH MERIDIAN: ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA, WHITMAN		

HOD CARRIERS	21.55	5.50
--------------	-------	------

LAB00335A 06/01/2002

	Rates	Fringes
CLARK, COWLITZ, KLIKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHIAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHIAKUM COUNTIES		

ZONE 1:

LABORERS:

GROUP 1	23.43	6.15
GROUP 2	23.94	6.15
GROUP 3	24.33	6.15
GROUP 4	24.66	6.15
GROUP 5	21.26	6.15
GROUP 6	19.16	6.15

GROUP 7

16.40

6.15

Zone Differential (Add to Zone 1 rates):

Zone 2 \$ 0.65

Zone 3 - 1.15

Zone 4 - 1.70

Zone 5 - 2.75

BASE POINTS: GOLDENDALE, LONGVIEW, AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city all.

ZONE 2: More than 30 miles but less than 40 miles from the
respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the
respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the
respective city hall.

ZONE 5: More than 80 miles from the respective city hall.

LABORERS CLASSIFICATIONS

GROUP 1: Asphalt Plant Laborers; Asphalt Spreaders; Batch Weighman; Broomers; Brush Burners and Cutters; Car and Truck Loaders; Carpenter Tender; Change-House Man or Dry Shack Man; Choker Setter; Clean-up Laborers; Curing, Concrete; Demolition, Wrecking and Moving Laborers; Dumpers, road oiling crew; Dumpmen (for grading crew); Elevator Feeders; Guard Rail, Median Rail Reference Post, Guide Post, Right of Way Marker; Fine Graders; Fire Watch; Form Strippers (not swinging stages); General Laborers; Hazardous Waste Worker; Leverman or Aggregate Spreader (Flaherty and similar types); Loading Spotters; Material Yard Man (including electrical); Pittsburgh Chipper Operator or Similar Types; Railroad Track Laborers; Ribbon Setters (including steel forms); Rip Rap Man (hand placed); Road Pump Tender; Sewer Labor;

Signalman; Skipman; Slopers; Spraymen; Stake Chaser; Stockpiler; Tie Back Shoring; Timber Faller and Bucker (hand labor); Toolroom Man (at job site); Tunnel Bullgang (above ground); Weight-Man-Crusher (aggregate when used)

GROUP 2: Applicator (including pot power tender for same), applying protective material by hand or nozzle on utility lines or storage tanks on project; Brush Cutters (power saw); Burners; Choker Splicer; Clary Power Spreader and similar types; Clean-up Nozzleman-Green Cutter (concrete, rock, etc.); Concrete Power Buggyman; Concrete Laborer; Crusher Feeder; Demolition and Wrecking Charred Materials; Guniting Nozzleman Tender; Guniting or Sand Blasting Pot Tender; Handlers or Mixers of all Materials of an irritating nature (including cement and lime); Tool Operators (includes but not limited to: Dry Pack Machine; Jackhammer; Chipping Guns; Paving Breakers); Pipe Doping and Wrapping; Post Hole Digger, air, gas or electric; Vibrating Screed; Tampers; Sand Blasting (Wet); Stake-Setter; Tunnel-Muckers, Brakemen, Concrete Crew, Bullgang (underground)

GROUP 3: Asbestos Removal; Bit Grinder; Drill Doctor; Drill Operators, air tracks, cat drills, wagon drills, rubber-mounted

drills, and other similar types including at crusher plants;
 Gunite Nozzelman; High Scalers, Strippers and Drillers (covers
 work in swinging stages, chairs or belts, under extreme
 conditions unusual to normal drilling, blasting, barring-down, or
 sloping and stripping); Manhole Builder; Powdermen; Concrete Saw
 Operator; Powdermen; Power Saw Operators (Bucking and Falling);
 Pumpcrete Nozzlemen; Sand Blasting (Dry); Sewer Timberman; Track
 Liners, Anchor Machines, Ballast Regulators, Multiple Tampers,
 Power Jacks, Tugger Operator; Tunnel-Chuck Tenders, Nippers and
 Timbermen; Vibrator; Water Blaster

GROUP 4: Asphalt Raker; Concrete Saw Operator (walls);
 Concrete Nozzelman; Grade Checker; Pipelayer; Laser Beam
 (pipelaying)-applicable when employee assigned to move, set up,
 align; Laser Beam; Tunnel Miners; Motorman-Dinky
 Locomotive-Tunnel; Powderman-Tunnel; Shield Operator-Tunnel

GROUP 5: Traffic Flaggers

GROUP 6: Fence Builders

GROUP 7: Landscaping or Planting Laborers

LAB00335L 06/01/2002

	Rates	Fringes
CLARK, COWLITZ, KLUCKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHIAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHIAKUM COUNTIES		

HOD CARRIERS	25.04	6.15
--------------	-------	------

PAIN0005B 06/01/2002

	Rates	Fringes
STATEWIDE EXCEPT CLARK, COWLITZ, KLUCKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHIAKUM COUNTIES		

STRIPERS	21.25	6.40
----------	-------	------

PAIN0005D 07/01/2002

	Rates	Fringes
CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES		

PAINTERS	23.27	5.36
----------	-------	------

PAIN0005G 07/01/2002

	Rates	Fringes
ADAMS, ASOTIN; BENTON AND FRANKLIN (EXCEPT HANFORD SITE); CHELAN, COLUMBIA, DOUGLAS, FERRY, GARFIELD, GRANT, KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA COUNTIES		

PAINTERS*:

Brush, Roller, Striping, Steam-cleaning and Spray Application of Cold Tar Products, Epoxies, Polyure thanes, Acids, Radiation Resistant Material, Water and Sandblasting, Bridges, Towers, Tanks, Stacks, Steeples	18.97	5.32
TV Radio, Electrical Transmission Towers	19.97	5.32
Lead Abatement, Asbestos Abatement	20.72	5.32
	19.97	5.32

*\$.70 shall be paid over and above the basic wage rates listed
for work on swing stages and high work of over 30 feet.

PAIN0055C 07/01/2002

	Rates	Fringes
CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKIAKUM COUNTIES		

PAINTERS:

Brush & Roller	17.35	5.08
Spray and Sandblasting	17.95	5.08
High work - All work 60 ft. or higher	18.10	5.08

PAIN0055L 06/01/2002

	Rates	Fringes
CLARK, COWLITZ, KLICKITAT, SKAMANIA and WAHKIAKUM COUNTIES		

PAINTERS:

HIGHWAY AND PARKING LOT STRIPER	23.36	5.75
------------------------------------	-------	------

PLAS0072E 06/01/2002

	Rates	Fringes
ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN, AND YAKIMA COUNTIES		

ZONE 1:

CEMENT MASONS	22.33	5.98
---------------	-------	------

Zone Differential (Add to Zone 1
rate): Zone 2 - \$2.00

BASE POINTS: Spokane, Pasco, Moses Lake, Lewiston

Zone 1: 0 - 45 radius miles from the main post office

Zone 2: Over 45 radius miles from the main post office

PLAS0528A 12/01/2002

	Rates	Fringes
CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (NORTH), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON, AND WHATCOM COUNTIES		

CEMENT MASON	28.05	9.84
COMPOSITION, COLOR MASTIC, TROWEL MACHINE, GRINDER, POWER TOOLS, GUNNITE NOZZLE	28.30	9.84

PLAS0555B 06/01/2002

	Rates	Fringes
CLARK, COWLITZ, KLINKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHIAKUM COUNTIES		

ZONE 1:

CEMENT MASONS	24.24	9.70
COMPOSITION WORKERS AND POWER MACHINERY OPERATORS	24.68	9.70
CEMENT MASONS ON SUSPENDED, SWINGING AND/OR HANGING SCAFFOLD	24.68	9.70
CEMENT MASONS DOING BOTH COMPOSITION/POWER MACHINERY AND SUSPENDED/HANGING SCAFFOLD	25.13	9.70

Zone Differential (Add To Zone 1 Rates):

Zone 2 - \$0.65

Zone 3 - 1.15

Zone 4 - 1.70

Zone 5 - 2.75

BASE POINTS: BEND, CORVALLIS, EUGENE, LONGVIEW, MEDFORD,
PORTLAND, SALEM, THE DALLS, VANCOUVER

ZONE 1: Projects within 30 miles of the respective city hall

ZONE 2: More than 30 miles but less than 40 miles from the
respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the
respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the
respective city hall.

ZONE 5: More than 80 miles from the respective city hall

PLUM0032B 01/01/2003

	Rates	Fringes
CLALLAM, KING AND JEFFERSON COUNTIES		

PLUMBERS AND PIPEFITTERS	34.18	12.68
--------------------------	-------	-------

 PLUM0032D 06/01/2002
 Rates Fringes
 CHELAN, KITTITAS (NORTHERN TIP), DOUGLAS (NORTH), AND OKANOGAN
 (NORTH) COUNTIES

PLUMBERS AND PIPEFITTERS 26.13 10.23

PLUM0044C 06/01/2002
 Rates Fringes
 ADAMS (NORTHERN PART), ASOTIN (CLARKSTON ONLY), FERRY (EASTERN
 PART), LINCOLN (EASTERN PART), PEND ORIELLE, STEVENS, SPOKANE,
 AND WHITMAN COUNTIES

PLUMBERS AND PIPEFITTERS 26.16 9.89

PLUM0082A 08/01/2002
 Rates Fringes
 CLARK (NORTHERN TIP INCLUDING WOODLAND), COWLITZ, GRAYS HARBOR,
 LEWIS, MASON (EXCLUDING NE SECTION), PACIFIC, PIERCE
 SKAMANIA, THURSTON AND WAHKIAKUM COUNTIES

PLUMBERS AND PIPEFITTERS 29.60 11.62

PLUM0265C 08/01/2002
 Rates Fringes
 ISLAND, SKAGIT, SNOHOMISH, SAN JUAN AND WHATCOM COUNTIES

PLUMBERS AND PIPEFITTERS 29.00 11.62

PLUM0290K 10/01/2002
 Rates Fringes
 CLARK (ALL EXCLUDING NORTHERN TIP INCLUDING CITY OF WOODLAND)

PLUMBERS AND PIPEFITTERS 31.73 12.93

PLUM0598E 06/01/2002
 Rates Fringes
 ADAMS (SOUTHERN PART), ASOTIN (EXCLUDING THE CITY OF CLARKSTON),
 BENTON, COLUMBIA, DOUGLAS (EASTERN HALF), FERRY (WESTERN PART),
 FRANKLIN, GARFIELD, GRANT, KITTITAS (ALL BUT NORTHERN TIP),
 KLIKITAT, LINCOLN (WESTERN PART), OKANOGAN (EASTERN), WALLA
 WALLA AND YAKIMA COUNTIES

PLUMBERS 29.85 12.59

PLUM0631A 08/01/2002
 Rates Fringes
 MASON (NE SECTION),

AND KITSAP COUNTIES

PLUMBERS/PIPEFITTERS:

All new construction, additions,
and remodeling of commercial
building projects such as:
cocktail lounges and taverns,
professional buildings, medical
clinics, retail stores, hotels
and motels, restaurants and fast
food types, gasoline service
stations, and car washes where
the plumbing and mechanical cost
of the project is less than
\$100,000

19.20

4.58

All other work where the plumbing
and mechanical cost of the project
is \$100,000 and over

27.84

11.62

TEAM0037C 06/01/2002

Rates

Fringes

CLARK, COWLITZ, KLUCKITAT, PACIFIC (South of a straight line made
by extending the north boundary line of Wahkiakum County west to
the Pacific Ocean), SKAMANIA, AND WAHIAKUM COUNTIES

TRUCK DRIVERS

ZONE 1:

GROUP 1	23.65	8.45
GROUP 2	23.77	8.45
GROUP 3	23.90	8.45
GROUP 4	24.16	8.45
GROUP 5	24.38	8.45
GROUP 6	24.54	8.45
GROUP 7	24.74	8.45

Zone Differential (Add to Zone 1 Rates):

Zone 2 - \$0.65

Zone 3 - 1.15

Zone 4 - 1.70

Zone 5 - 2.75

BASE POINTS: ASTORIA, THE DALLIES, LONGVIEW AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city hall.

ZONE 2: More than 30 miles but less than 40 miles from the
respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the
respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the
respective city hall.

ZONE 5: More than 80 miles from the respective city hall.

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: A Frame or Hydra lift truck w/load bearing surface; Articulated dump truck; Battery Rebuilders; Bus or Manhaul Driver; Concrete Buggies (power operated); Concrete pump truck; Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations there of: up to and including 10 cu. yds.; Lift Jitneys, Fork Lifts (all sizes in loading, unloading and transporting material on job site); Loader and/or Leverman on Concrete Dry Batch Plant (manually operated); Pilot Car; Pickup truck; Solo Flat Bed and misc. Body Trucks, 0-10 tons; Truck Tender; Truck Mechanic Tender; Water Wagons (rated capacity) up to 3,000 gallons; Transit Mix and Wet or Dry Mix - 5 cu. yds. and under; Lubrication Man, Fuel Truck Driver, Tireman, Wash Rack, Steam Cleaner or combinations; Team Driver; Slurry Truck Driver or Leverman; Tireman

GROUP 2: Boom truck/hydra lift or retracting crane; Challenger; Dumpsters or similar equipment all sizes; Dump Trucks/articulated dumps 6 cu to 10 cu.; Flaherty Spreader Driver or Leverman; Lowbed Equipment, Flat Bed Semi-trailer or doubles transporting equipment or wet or dry materials; Lumber Carrier, Driver-Straddle Carrier (used in loading, unloading and transporting of materials on job site); Oil Distributor Driver or Leverman; Transit mix and wet or dry mix trucks: over 5 cu. yds. and including 7 cu. yds.; Vacuum trucks; Water truck/Wagons (rated capacity) over 3,000 to 5,000 gallons

GROUP 3: Ammonia nitrate distributor driver; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 10 cu. yds. and including 30 cu. yds. includes Articulated dump trucks; Selfpropelled street sweeper; Transit mix and wet or dry mix truck: over 7 cu yds. and including 11 cu yds.; Truck Mechanic-Welder-Body Repairman; Utility and cleanup truck; Water Wagons (rated capacity) over 5,000 to 10,000 gallons

GROUP 4: Asphalt burner; Dump Trucks, side, end and bottom dumps, including Semi-Trucks and Trains or combinations thereof: over 30 cu. yds. and including 50 cu. yds. includes articulated dump trucks; Fire guard; Transit Mix and Wet or Dry Mix Trucks, over 11 cu. yds. and including 15 cu. yds.; Water Wagon (rated capacity) over 10,000 gallons to 15,000 gallons

GROUP 5: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 50 cu. yds. and including 60 cu. yds. includes articulated dump trucks

GROUP 6: Bulk cement spreader w/o auger; Dry prebatch concrete mix trucks; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains of combinations thereof: over 60 cu. yds. and including 80 cu. yds., and includes articulated dump trucks; Skid truck

GROUP 7: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 80 cu. yds. and including 100 cu. yds., includes articulated dump trucks; Industrial lift truck (mechanical tailgate)

TEAM0174A 06/01/2002

Rates Fringes
CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS,
MASON, PACIFIC (North of a straight line made by extending the
north boundary line of Wahkiakum County west to the Pacific
Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND
WHATCOM COUNTIES

TRUCK DRIVERS;

ZONE A:

GROUP 1:	25.79	9.68
GROUP 2:	25.21	9.68
GROUP 3:	22.81	9.68
GROUP 4:	18.56	9.68
GROUP 5:	25.55	9.68

ZONE B (25-45 miles from center of listed cities*):

Add \$.70 per hour to Zone A rates.

ZONE C (over 45 miles from centr of listed cities*):

Add \$1.00 per hour to Zone A rates.

*Zone pay will be calculated from the city center of the
following listed cities:

BELLINGHAM	CENTRALIA	RAYMOND	OLYMPIA
EVERETT	SHELTON	ANACORTES	BELLEVUE
SEATTLE	PORT ANGELES	MT. VERNON	KENT
TACOMA	PORT TOWNSEND	ABERDEEN	BREMERTON

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1 - "A-frame or Hydralift" trucks and Boom trucks or
similar equipment when "A" frame or "Hydralift" and Boom truck or

similar equipment is used; Buggymobile; Bulk Cement Tanker;
Dumpsters and similar equipment, Tournorockers, Tournowagon,
Turnotrailer, Cat DW series, Terra Cobra, Le Tourneau,
Westinghouse, Athye Wagon, Euclid Two and Four-Wheeled power
tractor with trailer and similar top-loaded equipment
transporting material: Dump Trucks, side, end and bottom dump,
including semi-trucks and trains or combinations thereof with 16
yards to 30 yards capacity: Over 30 yards \$.15 per hour
additional for each 10 yard increment; Explosive Truck (field
mix) and similar equipment; Hyster Operators (handling bulk loose
aggregates); Lowbed and Heavy Duty Trailer; Road Oil Distributor
Driver; Spreader, Flaherty Transit mix used exclusively in heavy
construction; Water Wagon and Tank Truck-3,000 gallons and
over capacity

GROUP 2 - Bulllifts, or similar equipment used in loading or
unloading trucks, transporting materials on job site; Dumpsters,
and similar equipment, Tournorockers, Tournowagon, Turnotrailer,
Cat. D.W. Series, Terra Cobra, Le Tourneau, Westinghouse, Athye
wagon, Euclid two and four-wheeled power tractor with trailer and
similar top-loaded equipment transporting material: Dump trucks,
side, end and bottom dump, including semi-trucks and trains or

combinations thereof with less than 16 yards capacity; Flatbed (Dual Rear Axle); Grease Truck, Fuel Truck, Greaser, Battery Service Man and/or Tire Service Man; Leverman and loader at bunkers and batch plants; Oil tank transport; Scissor truck; Slurry Truck; Sno-Go and similar equipment; Swampers; Straddler Carrier (Ross, Hyster) and similar equipment; Team Driver; Tractor (small, rubber-tired)(when used within Teamster jurisdiction); Vacuum truck; Water Wagon and Tank trucks-less than 3,000 gallons capacity; Winch Truck; Wrecker, Tow truck and similar equipment

GROUP 3 - Flatbed (single rear axle); Pickup Sweeper; Pickup Truck. (Adjust Group 3 upward by \$2.00 per hour for onsite work only)

GROUP 4 - Escort or Pilot Car

GROUP 5 - Mechanic

HAZMAT PROJECTS

Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C: +\$.25 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B: +\$.50 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit."

LEVEL A: +\$.75 per hour - This level utilizes a fully-encapsulated suit with a self-contained breathing apparatus or a supplied air line.

TEAM0760C 06/01/2002

	Rates	Fringes
ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, AND WHITMAN COUNTIES		

TRUCK DRIVERS

(ANYONE WORKING ON HAZMAT JOBS SEE FOOTNOTE A BELOW)

ZONE 1: (INCLUDES ALL OF YAKIMA COUNTY)

GROUP 1	17.73	8.50
GROUP 2	20.00	8.50
GROUP 3	20.50	8.50
GROUP 4	20.83	8.50
GROUP 5	20.94	8.50
GROUP 6	21.11	8.50
GROUP 7	21.64	8.50
GROUP 8	21.97	8.50

Zone Differential (Add to Zone 1
rate: Zone 2 - \$2.00)

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston

Zone 1: 0-45 radius miles from the main post office.

Zone 2: 45 radius miles and over from the main post office

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: Escort Driver or Pilot Car; Employee Haul; Power Boat Hauling Employees or Material

GROUP 2: Fish Truck; Flat Bed Truck; Fork Lift (3000 lbs. and under); Leverperson (loading trucks at bunkers); Trailer Mounted Hydro Seeder and Mulcher; Seeder & Mulcher; Stationary Fuel Operator; Tractor (small, rubber-tired, pulling trailer or similar equipment)

GROUP 3: Auto Crane (2000 lbs. capacity); Buggy Mobile & Similar; Bulk Cement Tanks & Spreader; Dumptor (6 yds. & under); Flat Bed Truck with Hydraulic System; Fork Lift (3001-16,000 lbs.); Fuel Truck Driver, Steamcleaner & Washer; Power Operated Sweeper; Rubber-tired Tunnel Jumbo; Scissors Truck; Slurry Truck Driver; Straddle Carrier (Ross, Hyster, & similar); Tireperson; Transit Mixers & Truck Hauling Concrete (3 yd. to & including 6 yds.); Trucks, side, end, bottom & articulated end dump (3 yards to and including 6 yds.); Warehouseperson (to include shipping & receiving); Wrecker & Tow Truck

GROUP 4: A-Frame; Burner, Cutter, & Welder; Service Greaser; Trucks, side, end, bottom & articulated end dump (over 6 yards to and including 12 yds.); Truck Mounted Hydro Seeder; Warehouseperson; Water Tank truck (0-8,000 gallons)

GROUP 5: Dumptor (over 6 yds.); Lowboy (50 tons & under); Self-loading Roll Off; Semi-Truck & Trailer; Tractor with Steer Trailer; Transit Mixers and Trucks Hauling Concrete (over 6 yds.

to and including 10 yds.); Trucks, side, end, bottom and end dump (over 12 yds. to & including 20 yds.); Truck-Mounted Crane (with load bearing surface either mounted or pulled, up to 14 ton); Vacuum Truck (super sucker, guzzler, etc.)

GROUP 6: Flaherty Spreader Box Driver; Flowboys; Fork Lift (over 16,000 lbs.); Dumps (Semi-end); Mechanic (Field); Semi-end Dumps; Transfer Truck & Trailer; Transit Mixers & Trucks Hauling Concrete (over 10 yds. to & including 20 yds.); Trucks, side, end, bottom and articulated end dump (over 20 yds. to & including 40 yds.); Truck and Pup; Tournarocker, DW's & similar with 2 or more 4 wheel-power tractor with trailer, gallonage or yardage scale, whichever is greater Water Tank Truck (8,001-14,000 gallons)

GROUP 7: Oil Distributor Driver; Stringer Truck (cable operated trailer); Transit Mixers & Trucks Hauling Concrete (over 20 yds.); Truck, side, end, bottom end dump (over 40 yds. to & including 100 yds.); Truck Mounted Crane (with load bearing surface either mounted or pulled (16 through 25 tons);

GROUP 8: Prime Movers and Stinger Truck; Trucks, side, end, bottom and articulated end dump (over 100 yds.); Helicopter Pilot

Hauling Employees or Materials

Footnote A - Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C-D: - \$.50 PER HOUR (This is the lowest level of protection. This level may use an air purifying respirator or additional protective clothing.

LEVEL A-B: - \$1.00 PER HOUR (Uses supplied air in conjunction with a chemical splash suit or fully encapsulated suit with a self-contained breathing apparatus.

NOTE: Trucks Pulling Equipment Trailers: shall receive \$.15/hour over applicable truck rate

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.
=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(ii)).

In the listing above, the "SU" designation means that rates listed under that identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal

process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U. S. Department of Labor

200 Constitution Avenue, N. W.
Washington, D. C. 20210

4.) All decisions by the Administrative Review Board are final.
END OF GENERAL DECISION

This page intentionally blank

22 April 2003

[illegible]

This page intentionally blank